Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	1315913
Licensee	DEPARTMENT OF JUSTICE AND COMMUNITY SAFETY
Trading name	ESTA Emergency Services Telecommunications Authority
Licensee address	c/-10 Wesley Court - Motorola MMR Project, Tally Ho Bus Pk, EAST BURWOOD, VIC 3151

Licence details	
Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	10071923/1
Date of issue	10/11/2023
Date of effect	10/11/2023
Date of expiry	01/12/2024

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78

BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 10071923/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Transmitter details

Station 1:

Site details			
Site ID	51550		
Site address	Water Tower, Mountain View Road, MT ELIZA VIC 3930		
Co-ordinates (GDA94)	Latitude: -38.205318 Longitude: 145.097919		

Bandwidth	Transmitter details	
Freq. assign. ID 0001506453 Transmitter power 50.00 W EIRP 83.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna azimuth Antenna azimuth Antenna height (m) 26 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna height (m) 26	Assigned frequency	425.787500 MHz
Transmitter power 50.00 W EIRP 83.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna height (m) 26 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Bandwidth	12.5000 kHz
EIRP 83.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna height (m) 26	Freq. assign. ID	0001506453
Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth 26 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna azimuth Antenna height (m) 26	Transmitter power	50.00 W
Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna details Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	EIRP	83.00 W
Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Emission designator	10K1D7W
Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Antenna details	
Antenna azimuth Antenna height (m) Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation Antenna azimuth Antenna azimuth Antenna height (m) 26	Antenna ID	60055
Antenna height (m) Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Antenna polarisation	V - Vertical linear
Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Antenna azimuth	
Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Antenna height (m)	26
Assigned frequency 429.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Antenna type	Parallel array of vertical dipoles-A
Bandwidth 12.5000 kHz Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Receiver details	
Freq. assign. ID 0001506454 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Assigned frequency	429.787500 MHz
Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Bandwidth	12.5000 kHz
EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Freq. assign. ID	0001506454
Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Transmitter power	N/A
Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	EIRP	N/A
Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Emission designator	10K1D7W
Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 26	Antenna details	
Antenna azimuth Antenna height (m) 26	Antenna ID	60055
Antenna height (m) 26	Antenna polarisation	V - Vertical linear
5 · ()	Antenna azimuth	
Antenna type Parallel array of vertical dipoles-A	Antenna height (m)	26
	Antenna type	Parallel array of vertical dipoles-A

Special Conditions applying to Station 1

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Supplementary Station Site

Transmitter details

Station 2:

Site details				
Site ID	42466			
Site address	Hospital, Hastings Rd, FRANKSTON VIC 3199			
Co-ordinates (GDA94)	Latitude: -38.151025 Longitu	ude:	145.128886	
-				

Assigned frequency 425.787500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0001506455 Transmitter power 25.00 W EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A Receiver details	
Freq. assign. ID 0001506455 Transmitter power 25.00 W EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Transmitter power 25.00 W EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Antenna azimuth Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Antenna height (m) 28 Antenna type Parallel array of vertical dipoles-A	
Antenna type Parallel array of vertical dipoles-A	
Receiver details	
Assigned frequency 429.787500 MHz	
Bandwidth 12.5000 kHz	
Freq. assign. ID 0001506456	
Transmitter power N/A	
EIRP N/A	
Emission designator 10K1D7W	
Antenna details	
Antenna ID 60055	
Antenna polarisation V - Vertical linear	
Antenna azimuth	
Antenna height (m) 28	
Antenna type Parallel array of vertical dipoles-A	

Special Conditions applying to Station 2

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.