Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details		
Customer ID	20016245	
Licensee	JB HI-FI GROUP PTY LTD	
Trading name	JB HI FI	
Licensee address	PO Box 561, Chadstone Centre, VIC 3148	
Licence details		
Licence service	Land Mobile	
Licence subservice	Ambulatory System	
Licence number	10532576/1	
Date of issue	27/09/2023	
Date of effect	27/09/2023	
Date of expiry	26/09/2024	
Licence conditions		

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 10532576/1

Conditions applicable to the operation of Ambulatory System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Station 1:

Site details Site ID 10012078 Site address JB Hi-Fi, 7 Smart Rd, MODBURY SA Co-ordinates (GDA94) Latitude: -34.834227 Longitude: 138.683791 Transmitter details Assigned frequency 462.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002242324 Transmitter power 5.00 W EIRP 8.30 W EIRP 8.30 W Emission designator 10K1F3E Antenna designator 10K1F3E Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear Antenna height (m) 2 Antenna height (m) 2 Antenna type Integral antenna, unknown specifications-X Receiver details 462.437500 MHz Emission designator Emission designator Antenna pight (m) 2 Antenna height (m) 2 Antenna type Integral antenna, unknown specifications-X Emission designator 10K1F3E Bandwidth 12.5000 KHz Freq. assign. ID 0002242325 Transmitter power N/A EIRP N/A EIRP N/A Emission designator 10K1F3E			
Site address JB Hi-Fi, 7 Smart Rd, MODBURY SA Co-ordinates (GDA94) Latitude: -34.834227 Longitude: 138.683791 Transmitter details Assigned frequency 462.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID Freq. assign. ID 0002242324 Image: Comparison of the second	Site details		
Co-ordinates (GDA94) Latitude: -34.834227 Longitude: 138.683791 Transmitter details	Site ID	10012078	
S contractionTransmitter detailsAssigned frequency462.437500 MHzBandwidth12.5000 KHzFreq. assign. ID0002242324Transmitter power5.00 WEIRP8.30 WEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna height (m)2Antenna trappeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 KHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEIRPN/AEIRPN/AEnresion designator10K1F3EAntenna ID16Antenna azimuth10K1F3EAntenna azimuth10Antenna azimuth16Antenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna azimuth16Antenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna azimuth16Antenna azimuth16Antenna azimuth16Antenna height (m)2	Site address	JB Hi-Fi, 7 Smart Rd, MODBURY SA	
Assigned frequency 462.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002242324 Transmitter power 5.00 W EIRP 8.30 W Emission designator 10K1F3E Antenna details 10K1F3E Antenna details V - Vertical linear Antenna polarisation V - Vertical linear Antenna azimuth 2 Antenna height (m) 2 Assigned frequency 462.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002242325 Transmitter power N/A EIRP N/A Ernery assign. ID 000224325 Transmitter power N/A EIRP N/A Ernery assign. ID 0002242325 Transmitter power N/A Ernesion designator 10K1F3E Antenna ID 16	Co-ordinates (GDA94)	Latitude: -34.834227 Longitude: 138.683791	
Bandwidth12.5000 kHzFreq. assign. ID0002242324Transmitter power5.00 WEIRP8.30 WEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna azimuthAntenna height (m)2Assigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEIRPN/AEnterson designator10K1F3EAntenna ID16Antenna type10002242325Transmitter powerN/AEnterson designator10K1F3EAntenna ID16Antenna ID16Antenna ID16Antenna ID16Antenna ID16Antenna ID16Antenna ID16Antenna AtaliaV - Vertical linearAntenna ID16Antenna ID16Antenna AtaliaV - Vertical linearAntenna height (m)2	Transmitter details		
Freq. assign. ID 0002242324 Transmitter power 5.00 W EIRP 8.30 W Emission designator 10K1F3E Antenna details Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 2 Antenna type Integral antenna, unknown specifications-X Receiver details Assigned frequency 462.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002242325 Transmitter power N/A EIRP N/A EIRP N/A Antenna ID 16 Antenna details Assigned frequency 462.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002242325 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 16	Assigned frequency	462.437500 MHz	
Transmitter power5.00 WEIRP8.30 WEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna azimuthAntenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 KHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEIRPN/AAntenna ID16Antenna ID16Antenna ID16Antenna detailsAntenna details10K1F3EAntenna details10K1F3EAntenna ID16Antenna ID16Antenna ID16Antenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna height (m)2	Bandwidth	12.5000 kHz	
EIRP8.30 WEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna azimuthAntenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna ID16Antenna ID16Antenna ID16Antenna keight (m)2	Freq. assign. ID	0002242324	
Emission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna azimuth2Antenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEIRPN/AEnsison designator10K1F3EAntenna ID16Antenna ID16Antenna ID16Antenna ID16Antenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna height (m)2	Transmitter power	5.00 W	
Antenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna azimuth2Antenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna ID16Antenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna polarisationV - Vertical linearAntenna height (m)2	EIRP	8.30 W	
Antenna ID16Antenna polarisationV - Vertical linearAntenna azimuthAntenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna ID16Antenna polarisationV - Vertical linearAntenna azimuth2	Emission designator	10K1F3E	
Antenna polarisationV - Vertical linearAntenna azimuth2Antenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna polarisationV - Vertical linearAntenna polarisation2Antenna height (m)2	Antenna details		
Antenna azimuthIntegral antenna, unknown specifications-XAntenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna polarisationV - Vertical linearAntenna height (m)2	Antenna ID	16	
Antenna height (m)2Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna polarisationV - Vertical linearAntenna height (m)2	Antenna polarisation	V - Vertical linear	
Antenna typeIntegral antenna, unknown specifications-XReceiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna ID16Antenna polarisationV - Vertical linearAntenna height (m)2	Antenna azimuth		
Receiver detailsAssigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna height (m)2	Antenna height (m)	2	
Assigned frequency462.437500 MHzBandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna details16Antenna polarisationV - Vertical linearAntenna azimuth2	Antenna type	Integral antenna, unknown specifications-X	
Bandwidth12.5000 kHzFreq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna height (m)2	Receiver details		
Freq. assign. ID0002242325Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna azimuth2	Assigned frequency	462.437500 MHz	
Transmitter powerN/AEIRPN/AEmission designator10K1F3EAntenna details16Antenna polarisationV - Vertical linearAntenna azimuthAntenna height (m)2	Bandwidth	12.5000 kHz	
EIRPN/AEmission designator10K1F3EAntenna details16Antenna polarisationV - Vertical linearAntenna azimuth2	Freq. assign. ID	0002242325	
Emission designator10K1F3EAntenna details16Antenna polarisationV - Vertical linearAntenna azimuth2	Transmitter power	N/A	
Antenna detailsAntenna ID16Antenna polarisationV - Vertical linearAntenna azimuthAntenna height (m)2	EIRP	N/A	
Antenna ID 16 Antenna polarisation V - Vertical linear Antenna azimuth 2	Emission designator	10K1F3E	
Antenna polarisationV - Vertical linearAntenna azimuth	Antenna details		
Antenna azimuth Antenna height (m)	Antenna ID	16	
Antenna height (m) 2	Antenna polarisation	V - Vertical linear	
	Antenna azimuth		
Antenna type Integral antenna, unknown specifications-X	Antenna height (m)	2	
	Antenna type	Integral antenna, unknown specifications-X	

Main Station Site

Special Conditions applying to Station 1

The level of power in the adjacent channel must not exceed -16dBm.

This licence limits the operation of the service to within the premises at the location specified on the licence. Use of the service outside these boundaries is not permitted.

The level of all discreet spurious components, measured at the output of the transmitter, must not exceed -30dBm.