# **Apparatus Licence**

Issued by Delegate of the Australian Communications and Media Authority



Licensee details		
Customer ID	1507321	
Licensee	SOUTH AUSTRALIAN GOVERNMENT RADIO NETWORK	
Licensee address	GPO Box 464, ADELAIDE, SA 5001	

Licence details	
Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	10573848/1
Date of issue	05/04/2023
Date of effect	05/04/2023
Date of expiry	30/04/2024

### Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

#### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

#### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

### **ACMA** contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

## Advisory Notes applying to licence no.: 10573848/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

### **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### **Main Station Site**

Transmitter details

### Station 1:

Site details		
Site ID	501600	
Site address	Virginia Shooting Park, Park Ro	ad, VIRGINIA SA 5120
Co-ordinates (GDA94)	Latitude: -34.663785	Longitude: 138.541907

Assigned frequency         413.412500 MHz           Bandwidth         12.5000 kHz           Freq. assign. ID         0002310456           Transmitter power         50.00 W           EIRP         83.00 W           Emission designator         10K1G9W           Antenna details         Antenna ID           Antenna polarisation         V - Vertical linear           Antenna azimuth         Antenna height (m)           Antenna type         Dipole-D           Receiver details           Assigned frequency         403.962500 MHz           Bandwidth         12.5000 kHz           Freq. assign. ID         0002310457           Transmitter power         N/A           EIRP         N/A           Emission designator         10K1G9W           Antenna details           Antenna polarisation         V - Vertical linear           Antenna polarisation         V - Vertical linear           Antenna polarisation         V - Vertical linear	Transmitter details	
Freq. assign. ID 0002310456 Transmitter power 50.00 W EIRP 83.00 W Emission designator 10K1G9W  Antenna details  Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 30 Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002310457 Transmitter power N/A EIRP N/A EIRP N/A Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna polarisation V - Vertical linear	Assigned frequency	413.412500 MHz
Transmitter power 50.00 W  EIRP 83.00 W  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth  Antenna height (m) 30  Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Bandwidth	12.5000 kHz
EIRP 83.00 W Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth  Antenna height (m) 30  Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Freq. assign. ID	0002310456
Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth  Antenna height (m) 30  Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Transmitter power	50.00 W
Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth  Antenna height (m) 30  Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	EIRP	83.00 W
Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth  Antenna height (m) 30  Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Emission designator	10K1G9W
Antenna polarisation V - Vertical linear  Antenna azimuth Antenna height (m) 30 Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0002310457  Transmitter power N/A EIRP N/A Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Antenna details	
Antenna azimuth Antenna height (m) Antenna type Dipole-D  Receiver details Assigned frequency Bandwidth 12.5000 kHz Freq. assign. ID 0002310457 Transmitter power N/A EIRP N/A Emission designator Antenna ID 50071 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna ID	50071
Antenna height (m) 30 Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Antenna polarisation	V - Vertical linear
Antenna type Dipole-D  Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Antenna azimuth	
Receiver details  Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Antenna height (m)	30
Assigned frequency 403.962500 MHz  Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Antenna type	Dipole-D
Bandwidth 12.5000 kHz  Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Receiver details	
Freq. assign. ID 0002310457  Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Assigned frequency	403.962500 MHz
Transmitter power N/A  EIRP N/A  Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Bandwidth	12.5000 kHz
EIRP N/A Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Freq. assign. ID	0002310457
Emission designator 10K1G9W  Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Transmitter power	N/A
Antenna details  Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth		N/A
Antenna ID 50071  Antenna polarisation V - Vertical linear  Antenna azimuth	Emission designator	10K1G9W
Antenna polarisation V - Vertical linear Antenna azimuth	Antenna details	
Antenna azimuth	Antenna ID	50071
	Antenna polarisation	V - Vertical linear
Antenna height (m) 30	Antenna azimuth	
Antenna height (m)	Antenna height (m)	30
Antenna type Dipole-D	Antenna type	Dipole-D

## **Special Conditions applying to Station 1**

The level of power in the adjacent channel must not exceed -16dBm.

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.