

Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details

Customer ID	20011460
Licensee	RCS TELECOMMUNICATIONS PTY. LTD.
Licensee address	GPO Box 991, BRISBANE, QLD 4001

Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	10631402/1
Date of issue	08/08/2023
Date of effect	08/08/2023
Date of expiry	30/06/2024

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre
PO Box 78
BELCONNEN ACT 2616

Telephone: 1300 850 115
Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Advisory Notes applying to licence no.: 10631402/1

Conditions applicable to the operation of PMTS Class B station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (PTS Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details

Site ID	10006890
Site address	North Site Lake, Vermont Mine 19.3km NNE of, DYSART QLD
Co-ordinates (GDA94)	Latitude: -22.429318 Longitude: 148.407057

Transmitter details

Assigned frequency	2.13500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380321
Transmitter power	10.00 W
EIRP	66.10 W
Emission designator	10M0W7D

Antenna details

Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	125.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Receiver details

Assigned frequency	1.94500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380322
Transmitter power	N/A
EIRP	N/A
Emission designator	10M0W7D

Antenna details

Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	125.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

Special Conditions applying to Station 1

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station that:

- a) is capable of being moved between places;
- b) operates from a fixed point within a 5 kilometre radius of the location specified for this spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 2:

Site details

Site ID	10005409
Site address	South Site Lake Vermont Mine 16.7km NNE of, DYSART QLD
Co-ordinates (GDA94)	Latitude: -22.470452 Longitude: 148.450536

Transmitter details

Assigned frequency	2.13500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380323
Transmitter power	10.00 W
EIRP	66.10 W
Emission designator	10M0W7D

Antenna details

Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	295.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Receiver details

Assigned frequency	1.94500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380324
Transmitter power	N/A
EIRP	N/A
Emission designator	10M0W7D

Antenna details

Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	295.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

Special Conditions applying to Station 2

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station that:

- a) is capable of being moved between places;
- b) operates from a fixed point within a 5 kilometre radius of the location specified for this spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 3:

Site details

Site ID	9007136
Site address	Comms / Broadcast Mast, 15km NE of Dysart, LAKE VERMONT MINE QLD 4745
Co-ordinates (GDA94)	Latitude: -22.459341 Longitude: 148.412306

Transmitter details

Assigned frequency	2.13500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380325
Transmitter power	10.00 W
EIRP	66.10 W
Emission designator	10M0W7D

Antenna details

Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	210.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Receiver details

Assigned frequency	1.94500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380326
Transmitter power	N/A
EIRP	N/A
Emission designator	10M0W7D

Antenna details

Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	210.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

Special Conditions applying to Station 3

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station that:

- a) is capable of being moved between places;
- b) operates from a fixed point within a 5 kilometre radius of the location specified for this spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 4:

Site details	
Site ID	9007136
Site address	Comms / Broadcast Mast, 15km NE of Dysart, LAKE VERMONT MINE QLD 4745
Co-ordinates (GDA94)	Latitude: -22.459341 Longitude: 148.412306

Transmitter details	
Assigned frequency	2.13500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380327
Transmitter power	10.00 W
EIRP	66.10 W
Emission designator	10M0W7D

Antenna details	
Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	72.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Receiver details	
Assigned frequency	1.94500000 GHz
Bandwidth	10.000000 MHz
Freq. assign. ID	0002380328
Transmitter power	N/A
EIRP	N/A
Emission designator	10M0W7D

Antenna details	
Antenna ID	92946
Antenna polarisation	S - Slant
Antenna azimuth	72.00
Antenna height (m)	25
Antenna type	Panel (single sector dual slant, 1920-2200 MHz)

Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

Special Conditions applying to Station 4

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station that:

- a) is capable of being moved between places;
- b) operates from a fixed point within a 5 kilometre radius of the location specified for this spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.