

# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



## Licensee details

Customer ID	121490
Licensee	Australian Federal Police
Trading name	Attn T&I Eileen Ferber
Licensee address	PO Box 401, CANBERRA, ACT 2601

## Licence details

Licence service	Radiodetermination
Licence subservice	Radiodetermination
Licence number	10921551/1
Date of issue	01/08/2023
Date of effect	01/08/2023
Date of expiry	22/07/2024

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### **Rights of appeal**

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### **Important**

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

## ACMA contact details

Customer Service Centre  
PO Box 78  
BELCONNEN ACT 2616

Telephone: 1300 850 115  
Email: [info@acma.gov.au](mailto:info@acma.gov.au)

ACMA website: [www.acma.gov.au](http://www.acma.gov.au)

## **Advisory Notes applying to licence no.: 10921551/1**

Conditions applicable to the operation of Radiodetermination station(s) under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination. Copies of this determination are available from the ACMA and from the ACMA home page ([www.acma.gov.au](http://www.acma.gov.au)).

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 1:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775981
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775982
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 1

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 2:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775983
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775984
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 2

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 3:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775985
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775986
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 3

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 4:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775987
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775988
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 4

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 5:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775989
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775990
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 5

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 6:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775991
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775992
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 6

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 7:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775993
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775994
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 7

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 8:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775995
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775996
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 8

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 9:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775997
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775998
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 9

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 10:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002775999
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776000
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 10

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 11:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776001
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776002
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 11

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 12:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776003
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776004
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 12

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 13:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776005
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776006
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 13

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 14:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776007
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776008
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 14

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 15:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776009
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776010
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 15

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 16:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776011
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776012
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 16

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 17:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776013
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776014
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 17

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 18:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776015
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776016
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 18

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 19:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776017
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776018
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 19

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 20:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776019
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776020
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93509
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 20

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 21:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776021
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776022
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 21

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 22:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776023
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776024
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 22

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 23:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776025
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776026
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 23

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 24:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776027
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776028
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 24

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 25:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776029
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776030
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 25

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 26:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776031
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776032
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 26

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 27:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776033
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776034
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 27

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 28:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776035
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776036
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 28

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 29:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776037
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776038
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 29

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 30:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776039
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776040
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 30

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 31:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776041
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776042
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 31

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 32:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776043
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776044
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 32

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 33:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776045
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776046
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 33

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 34:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776047
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776048
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 34

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 35:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776049
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776050
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 35

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 36:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776051
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776052
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 36

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 37:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776053
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776054
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 37

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 38:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776055
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776056
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

## Special Conditions applying to Station 38

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 39:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776057
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776058
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 39

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 40:

#### Area wide details:

Area ID	18
Area name	Australian Capital Territory

#### Transmitter details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776059
Transmitter power	25 mW
EIRP	3.96 W
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

#### Receiver details

Assigned frequency	34.90000000 GHz
Bandwidth	4.000000 MHz
Freq. assign. ID	0002776060
Transmitter power	N/A
EIRP	N/A
Emission designator	4M00P0N

#### Antenna details

Antenna ID	93510
Antenna polarisation	CL - Left-hand circular or indirect
Antenna azimuth	
Antenna height (m)	2
Antenna type	Horn

### Special Conditions applying to Station 40

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.