# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details		
Customer ID	20000768	
Licensee	Australian Maritime Safety Authority	
Licensee address	GPO Box 2181 Attn: Response Division Administration, Client ID 20000768, Canberra, ACT 2601	
Licence details		
Licence service	Maritime Coast	
Licence subservice	Limited Coast Assigned System	
Licence number	11278432/1	
Date of issue	28/06/2021	
Date of effect	28/06/2021	
Date of expiry	26/06/2024	
Licence conditions	S	

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

### **ACMA** contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

# Advisory Notes applying to licence no.: 11278432/1

Conditions applicable to the operation of Limited Coast Assigned System authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Maritime Coast Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

## **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Station 1:

0.1.			
Site details			
Site ID	46730		
Site address	Port Control Tower, HOBART TAS 7000		
Co-ordinates (GDA94)	Latitude: -42.881786	Longitude: 147.338054	
Transmitter details			
Assigned frequency	162.025000 MHz		
Bandwidth	25.0000 kHz		
Freq. assign. ID	0003208342		
Transmitter power	12.50 W		
EIRP	19.80 W		
Emission designator	25K0F2D		
Antenna details			
Antenna ID	80849		
Antenna polarisation	V - Vertical linear		
Antenna azimuth			
Antenna height (m)	36		
Antenna type	Dipole-D		
Receiver details			
Assigned frequency	162.025000 MHz		
Bandwidth	25.0000 kHz		
Freq. assign. ID	0003208343		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	25K0F2D		
Antenna details			
Antenna ID	80849		
Antenna polarisation	V - Vertical linear		
Antenna azimuth			
Antenna height (m)	36		
Antenna type	Dipole-D		

### **Main Station Site**

# **Special Conditions applying to Station 1**

The level of power in the adjacent channel must not exceed -22dBm.

The level of all discreet spurious components, measured at the output of the transmitter, must not exceed -30dBm.