Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	121490
Licensee	Australian Federal Police
Trading name	Attn T&I Eileen Ferber
Licensee address	PO Box 401, CANBERRA, ACT 2601
Licence details	
Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	1131119/1
Callsign	VL5AFP
Date of issue	01/08/2023
Date of effect	01/08/2023
Date of expiry	30/06/2024
Licence conditions	

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1131119/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details				
Site ID	500920			
Site address	Aviation House, International Terminal, ADELAIDE AIRPORT SA 5950			
Co-ordinates (GDA94)	Latitude: -34.938078 Longitude: 138.538761			
Transmitter details				
Assigned frequency	489.900000 MHz			
Bandwidth	12.5000 kHz			
Freq. assign. ID	0000622713			
Transmitter power	50.00 W			
EIRP	83.00 W			
Emission designator	10K1F3E			
Antenna details				
Antenna ID	67			
Antenna polarisation	V - Vertical linear			
Antenna azimuth				
Antenna height (m)	0			
Antenna type	Dipole-D			
Receiver details				
Assigned frequency	484.700000 MHz			
Bandwidth	12.5000 kHz			
Freq. assign. ID	0000622716			
Transmitter power	N/A			
EIRP	N/A			
Emission designator	10K1F3E			
Antenna details				
Antenna ID	67			
Antenna polarisation	V - Vertical linear			
Antenna azimuth				
Antenna height (m)	0			
Antenna type	Dipole-D			

Advisory Notes applying to Station 1

Relocate into Harmonised Government Spectrum (HGS) Bands

Special Conditions applying to Station 1

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

The level of power in the adjacent channel must not exceed -16dBm.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Supplementary Station Site

Station 2:

Site details				
Site ID	9008859			
Site address	Building 4, 300 Richmond Road, NETLEY SA 5037			
Co-ordinates (GDA94)	Latitude: -34.944147	Longitude:	138.551783	
Transmitter details				
Assigned frequency	489.900000 MHz			
Bandwidth	12.5000 kHz			
Freq. assign. ID	0000622711			
Transmitter power	25.00 W			
EIRP	41.00 W			
Emission designator	10K1F3E			
Antenna details				
Antenna ID	67			
Antenna polarisation	V - Vertical linear			
Antenna azimuth				
Antenna height (m)	0			
Antenna type	Dipole-D			
Receiver details				
Assigned frequency	484.700000 MHz			
Bandwidth	12.5000 kHz			
Freq. assign. ID	0000622712			
Transmitter power	N/A			
EIRP	N/A			
Emission designator	10K1F3E			
Antenna details				
Antenna ID	67			
Antenna polarisation	V - Vertical linear			
Antenna azimuth				
Antenna height (m)	0			
Antenna type	Dipole-D			

Advisory Notes applying to Station 2

Relocate into Harmonised Government Spectrum (HGS) Bands

Special Conditions applying to Station 2

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

The level of power in the adjacent channel must not exceed -16dBm.