

# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



## Licensee details

Customer ID	20007490
Licensee	BUNDABERG NARROWCASTERS PTY. LTD.
Trading name	BUNDABERG NARROWCASTERS PTY. LTD.
Licensee address	Locked bag 2110, North Ryde, NSW 2113

## Licence details

Licence service	Broadcasting - Narrowcasting Service (Fixed Tax)
Licence number	1155471/1
Date of issue	02/06/2023
Date of effect	02/06/2023
Date of expiry	08/06/2024

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the address listed below. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

## ACMA contact details

Customer Service Centre  
PO Box 78  
BELCONNEN ACT 2616

Telephone: 1300 850 115  
Email: [info@acma.gov.au](mailto:info@acma.gov.au)

ACMA website: [www.acma.gov.au](http://www.acma.gov.au)

## **Advisory Notes applying to licence no.: 1155471/1**

Conditions applicable to the operation of Narrowcasting Service station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Broadcasting Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page ([www.acma.gov.au](http://www.acma.gov.au)).

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Station 1:

#### Site details

Site ID	19484
Site address	PageX Site, MT STUART QLD 4813
Co-ordinates (GDA94)	Latitude: -19.343161 Longitude: 146.781353

#### Transmitter details

General Area Served	Townsville
Technical specification no.	10010371
Assigned frequency	98.9 MHz
Freq. assign. ID	0001408975
Emission designator	200KF8EHF
Antenna Polarisation	V - Vertical linear
Antenna height (m)	10

#### Radiation pattern details

Bearing or Sector (°T)	Maximum ERP (W)
0 - 70	100.0
70 - 280	10.0
280 - 360	100.0

#### Special Conditions applying to Station 1

Carrier Frequency : 98.900 MHz

The coverage area of this transmission is described as that area within a radius of 20 kilometres measured from a point with the following AMG co-ordinates: Zone: 55; Easting: 480735; Northing: 7869649. This point is not The same as The transmitter location., This transmission is permitted within the defined coverage area. The transmitter may be established at an alternative site to the nominal site only within this area. A change in site from the nominal site is to be in accordance with the Change of Transmitter Site Procedure of ABA's Technical Planning Guidelines, and is not to result in a maximum field strength beyond the defined area in excess of that which would have been provided at the specified power and pattern from the nominal site.