# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	20045428
Licensee	BCD NETWORKS PTY LTD
Trading name	Hyperwave
Licensee address	PO Box 354, ROSANNA, VIC 3084

Licence details		
Licence service	Fixed	
Licence subservice	Point to Point	
Licence number	11702810/1	
Date of issue	30/10/2023	
Date of effect	24/10/2023	
Date of expiry	28/10/2024	

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

#### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

#### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

### **ACMA** contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Fixed - Point to Point Page 1 of 4

# Advisory Notes applying to licence no.: 11702810/1

Conditions applicable to the operation of Point to Point station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Fixed Licence) Determination, the 'fixed licence lcd'. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Fixed - Point to Point Page 2 of 4

## **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

## **Main Station Site**

Antenna details

Antenna polarisation

Antenna azimuth

Antenna height (m)

Antenna type

93087

256.63

15

V - Vertical linear

Parabolic High Performance

Antenna ID

## Station 1:

Site details				
Site ID	11629			
Site address	657 Plenty Road, REGENT VIC 3073			
Co-ordinates (GDA94)	Latitude: -37.730598 Longitude: 145.014479			
Transmitter details	Transmitter details			
Assigned frequency	10.91500000 GHz			
Bandwidth	80.000000 MHz			
Freq. assign. ID	0003673602			
Transmitter power	1.00 W			
EIRP	2.95 kW			
Emission designator	80M0D7W			
Antenna details				
Antenna ID	93087			
Antenna polarisation	V - Vertical linear			
Antenna azimuth	256.63			
Antenna height (m)	15			
Antenna type	Parabolic High Performance			
Receiver details				
Assigned frequency	11.40500000 GHz			
Bandwidth	80.000000 MHz			
Freq. assign. ID	0003673603			
Transmitter power	N/A			
EIRP	N/A			
Emission designator	80M0D7W			

Fixed - Point to Point Page 3 of 4

# **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

## **Main Station Site**

Antenna type

# Station 2:

Assigned frequency       11.40500000 GHz         Bandwidth       80.000000 MHz         Freq. assign. ID       0003673604         Transmitter power       1.00 W         EIRP       2.95 kW         Emission designator       80M0D7W         Antenna details         Antenna ID       93087         Antenna polarisation       V - Vertical linear         Antenna azimuth       76.78         Antenna height (m)       83         Antenna type       Parabolic High Performance	Site details	Site details		
Co-ordinates (GDA94)	Site ID	303567		
Assigned frequency	Site address	Orica Tilburn Rd, DEER PARK VIC 3023		
Assigned frequency         11.40500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673604           Transmitter power         1.00 W           EIRP         2.95 kW           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78           Antenna height (m)         83           Antenna type         Parabolic High Performance           Receiver details           Assigned frequency         10.91500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673605           Transmitter power         N/A           EIRP         N/A           Emission designator         80M0D7W           Antenna details           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78	Co-ordinates (GDA94)	Latitude: -37.775622 Longitude: 144.774557		
Bandwidth         80.000000 MHz           Freq. assign. ID         0003673604           Transmitter power         1.00 W           EIRP         2.95 kW           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78           Antenna height (m)         83           Antenna type         Parabolic High Performance           Receiver details           Assigned frequency         10.91500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673605           Transmitter power         N/A           EIRP         N/A           Emission designator         80M0D7W           Antenna details           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78	Transmitter details			
Freq. assign. ID         0003673604           Transmitter power         1.00 W           EIRP         2.95 kW           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78           Antenna height (m)         83           Antenna type         Parabolic High Performance           Receiver details           Assigned frequency         10.91500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673605           Transmitter power         N/A           EIRP         N/A           Emission designator         80M0D7W           Antenna details           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78	Assigned frequency	11.40500000 GHz		
Transmitter power         1.00 W           EIRP         2.95 kW           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78           Antenna height (m)         83           Antenna type         Parabolic High Performance           Receiver details           Assigned frequency         10.91500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673605           Transmitter power         N/A           EIRP         N/A           Emission designator         80M0D7W           Antenna details           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78	Bandwidth	80.000000 MHz		
EIRP         2.95 kW           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78           Antenna height (m)         83           Antenna type         Parabolic High Performance           Receiver details           Assigned frequency         10.91500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673605           Transmitter power         N/A           EIRP         N/A           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna azimuth         76.78	Freq. assign. ID	0003673604		
Emission designator Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78  Antenna type Parabolic High Performance  Receiver details  Assigned frequency Bandwidth 80.000000 MHz  Freq. assign. ID 0003673605  Transmitter power RIRP N/A Emission designator Antenna details  Antenna ID 93087  Antenna ID 93087  Antenna polarisation V - Vertical linear Antenna azimuth 76.78	Transmitter power	1.00 W		
Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78  Antenna height (m) 83  Antenna type Parabolic High Performance  Receiver details  Assigned frequency 10.91500000 GHz  Bandwidth 80.000000 MHz  Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	EIRP	2.95 kW		
Antenna ID 93087 Antenna polarisation V - Vertical linear Antenna azimuth 76.78 Antenna height (m) 83 Antenna type Parabolic High Performance  Receiver details  Assigned frequency 10.91500000 GHz Bandwidth 80.000000 MHz Freq. assign. ID 0003673605 Transmitter power N/A EIRP N/A Emission designator 80M0D7W  Antenna details  Antenna ID 93087 Antenna polarisation V - Vertical linear Antenna azimuth 76.78	Emission designator	80M0D7W		
Antenna polarisation V - Vertical linear  Antenna azimuth 76.78  Antenna height (m) 83  Antenna type Parabolic High Performance  Receiver details  Assigned frequency 10.91500000 GHz  Bandwidth 80.000000 MHz  Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Antenna details			
Antenna azimuth 76.78  Antenna height (m) 83  Antenna type Parabolic High Performance  Receiver details  Assigned frequency 10.91500000 GHz  Bandwidth 80.000000 MHz  Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Antenna ID	93087		
Antenna height (m) 83 Antenna type Parabolic High Performance  Receiver details  Assigned frequency 10.91500000 GHz  Bandwidth 80.000000 MHz  Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Antenna polarisation	V - Vertical linear		
Antenna type Parabolic High Performance  Receiver details  Assigned frequency 10.91500000 GHz  Bandwidth 80.000000 MHz  Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Antenna azimuth	76.78		
Receiver details           Assigned frequency         10.91500000 GHz           Bandwidth         80.000000 MHz           Freq. assign. ID         0003673605           Transmitter power         N/A           EIRP         N/A           Emission designator         80M0D7W           Antenna details           Antenna ID         93087           Antenna polarisation         V - Vertical linear           Antenna azimuth         76.78	Antenna height (m)	83		
Assigned frequency       10.91500000 GHz         Bandwidth       80.000000 MHz         Freq. assign. ID       0003673605         Transmitter power       N/A         EIRP       N/A         Emission designator       80M0D7W         Antenna details         Antenna ID       93087         Antenna polarisation       V - Vertical linear         Antenna azimuth       76.78	Antenna type	Parabolic High Performance		
Bandwidth 80.000000 MHz Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Receiver details			
Freq. assign. ID 0003673605  Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Assigned frequency	10.91500000 GHz		
Transmitter power N/A  EIRP N/A  Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Bandwidth	80.000000 MHz		
EIRP N/A Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Freq. assign. ID	0003673605		
Emission designator 80M0D7W  Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Transmitter power	N/A		
Antenna details  Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	EIRP	N/A		
Antenna ID 93087  Antenna polarisation V - Vertical linear  Antenna azimuth 76.78	Emission designator	80M0D7W		
Antenna polarisation V - Vertical linear Antenna azimuth 76.78	Antenna details			
Antenna azimuth 76.78	Antenna ID	93087		
1.4	Antenna polarisation	V - Vertical linear		
Antenna height (m) 83	Antenna azimuth	76.78		
	Antenna height (m)	83		

Fixed - Point to Point Page 4 of 4

Parabolic High Performance