Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



| Licensee details | |
|------------------|--|
| Customer ID | 1315913 |
| Licensee | DEPARTMENT OF JUSTICE AND COMMUNITY SAFETY |
| Trading name | ESTA Emergency Services Telecommunications Authority |
| Licensee address | c/-10 Wesley Court - Motorola MMR Project, Tally Ho Bus Pk, EAST BURWOOD, VIC 3151 |

| Licence details | |
|--------------------|------------------------------|
| Licence service | Land Mobile |
| Licence subservice | Land Mobile System - > 30MHz |
| Licence number | 1185527/2 |
| Callsign | VLV293 |
| Date of issue | 10/11/2023 |
| Date of effect | 10/11/2023 |
| Date of expiry | 01/12/2024 |

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78

BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1185527/2

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

| Site details | | |
|----------------------|--|--|
| Site ID | 42813 | |
| Site address | Water Tower, Cnr Watsons & Waverley Rd, GLEN WAVERLEY VIC 3150 | |
| Co-ordinates (GDA94) | Latitude: -37.890655 Longitude: 145.173481 | |
| <u> </u> | | |

| Transmitter details | | |
|--|---|--|
| Assigned frequency | 468.512500 MHz | |
| Bandwidth | 12.5000 kHz | |
| Freq. assign. ID | 0000652262 | |
| Transmitter power | 50.00 W | |
| EIRP | 83.00 W | |
| Emission designator | 10K1D7W | |
| Antenna details | | |
| Antenna ID | 60055 | |
| Antenna polarisation | V - Vertical linear | |
| Antenna azimuth | | |
| Antenna height (m) | 29 | |
| Antenna type | Parallel array of vertical dipoles-A | |
| | | |
| Receiver details | | |
| Assigned frequency | 458.512500 MHz | |
| | 458.512500 MHz 12.5000 kHz | |
| Assigned frequency | | |
| Assigned frequency Bandwidth | 12.5000 kHz | |
| Assigned frequency Bandwidth Freq. assign. ID | 12.5000 kHz 0000652265 | |
| Assigned frequency Bandwidth Freq. assign. ID Transmitter power | 12.5000 kHz 0000652265 N/A | |
| Assigned frequency Bandwidth Freq. assign. ID Transmitter power EIRP | 12.5000 kHz 0000652265 N/A N/A | |
| Assigned frequency Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator | 12.5000 kHz 0000652265 N/A N/A | |
| Assigned frequency Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator Antenna details | 12.5000 kHz 0000652265 N/A N/A 10K1D7W | |
| Assigned frequency Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator Antenna details Antenna ID | 12.5000 kHz 0000652265 N/A N/A 10K1D7W 60055 | |
| Assigned frequency Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator Antenna details Antenna ID Antenna polarisation | 12.5000 kHz 0000652265 N/A N/A 10K1D7W 60055 | |

Special Conditions applying to Station 1

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Supplementary Station Site

Transmitter details

Station 2:

| 41815 |
|--|
| Chadstone Shopping Centre, 1341 Dandenong Road, CHADSTONE VIC 3148 |
| Latitude: -37.886951 Longitude: 145.082262 |
| |

| Assigned frequency 468.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652260 Transmitter power 25.00 W EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna polarisation V - Vertical linear Antenna peinth (m) 33 | | | | |
|--|----------------------|--------------------------------------|--|--|
| Freq. assign. ID 0000652260 Transmitter power 25.00 W EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna ID 60055 Antenna ID 60055 Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear | Assigned frequency | 468.512500 MHz | | |
| Transmitter power 25.00 W EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Bandwidth | 12.5000 kHz | | |
| EIRP 41.00 W Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Freq. assign. ID | 0000652260 | | |
| Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Transmitter power | 25.00 W | | |
| Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | EIRP | 41.00 W | | |
| Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna polarisation V - Vertical linear Antenna azimuth | Emission designator | 10K1D7W | | |
| Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 33 Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Antenna details | | | |
| Antenna azimuth Antenna height (m) Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Antenna ID | 60055 | | |
| Antenna height (m) Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency A58.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Antenna polarisation | V - Vertical linear | | |
| Antenna type Parallel array of vertical dipoles-A Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Antenna azimuth | | | |
| Receiver details Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Antenna height (m) | 33 | | |
| Assigned frequency 458.512500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Antenna type | Parallel array of vertical dipoles-A | | |
| Bandwidth 12.5000 kHz Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Receiver details | | | |
| Freq. assign. ID 0000652261 Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Assigned frequency | 458.512500 MHz | | |
| Transmitter power N/A EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Bandwidth | 12.5000 kHz | | |
| EIRP N/A Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Freq. assign. ID | 0000652261 | | |
| Emission designator 10K1D7W Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Transmitter power | N/A | | |
| Antenna details Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | EIRP | N/A | | |
| Antenna ID 60055 Antenna polarisation V - Vertical linear Antenna azimuth | Emission designator | 10K1D7W | | |
| Antenna polarisation V - Vertical linear Antenna azimuth | Antenna details | | | |
| Antenna azimuth | Antenna ID | 60055 | | |
| | Antenna polarisation | V - Vertical linear | | |
| Antenna height (m) 33 | Antenna azimuth | | | |
| 7 and margin (m) | Antenna height (m) | 33 | | |
| Antenna type Parallel array of vertical dipoles-A | Antenna type | Parallel array of vertical dipoles-A | | |

Special Conditions applying to Station 2

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Supplementary Station Site

Transmitter details

Station 3:

| Site details | | | |
|----------------------|-----------------------|-------------------------------|-------------------|
| Site ID | 36235 | | |
| Site address | Telstra Radio Termina | al, 728 Canterbury Road, SURR | EY HILLS VIC 3127 |
| Co-ordinates (GDA94) | Latitude: -37.82744 | 1 Longitude: | 145.106414 |

| Assigned frequency | 468.512500 MHz | |
|----------------------|--------------------------------------|--|
| Bandwidth | 12.5000 kHz | |
| Freq. assign. ID | 0000652258 | |
| Transmitter power | 25.00 W | |
| EIRP | 41.00 W | |
| Emission designator | 10K1D7W | |
| Antenna details | | |
| Antenna ID | 60055 | |
| Antenna polarisation | V - Vertical linear | |
| Antenna azimuth | | |
| Antenna height (m) | 47 | |
| Antenna type | Parallel array of vertical dipoles-A | |
| Receiver details | | |
| Assigned frequency | 458.512500 MHz | |
| Bandwidth | 12.5000 kHz | |
| Freq. assign. ID | 0000652259 | |
| Transmitter power | N/A | |
| EIRP | N/A | |
| Emission designator | 10K1D7W | |
| Antenna details | | |
| Antenna ID | 60055 | |
| Antenna polarisation | V - Vertical linear | |
| Antenna azimuth | | |
| Antenna height (m) | 47 | |
| Antenna type | Parallel array of vertical dipoles-A | |

Special Conditions applying to Station 3

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.