# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	20013687
Licensee	SYDNEY TRAINS
Licensee address	Attn: Mr Christopher Go Level 2, Clyde Hub, 146-148 Manchester Road, Clyde, NSW 2142

Licence details	
Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	1234265/1
Callsign	VL2RW
Date of issue	04/12/2023
Date of effect	04/12/2023
Date of expiry	01/12/2024

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

#### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

#### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

#### ACMA contact details

Customer Service Centre PO Box 78

BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

# Advisory Notes applying to licence no.: 1234265/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

### **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

#### **Main Station Site**

### Station 1:

Site details		
Site ID	5533	
Site address	Railway site, WATERFALL NSW 2233	
Co-ordinates (GDA94)	Latitude: -34.13391264 Longitude: 150.994	83574

Transmitter details	
Assigned frequency	418.175000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0000693922
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F3E
Antenna details	
Antenna ID	1
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	0
Antenna type	Unknown antenna type, size or specifications-
Receiver details	
Assigned frequency	408.725000 MHz
Assigned frequency Bandwidth	408.725000 MHz 12.5000 kHz
. ,	
Bandwidth	12.5000 kHz
Bandwidth Freq. assign. ID	12.5000 kHz 0000693925
Bandwidth Freq. assign. ID Transmitter power	12.5000 kHz 0000693925 N/A
Bandwidth Freq. assign. ID Transmitter power EIRP	12.5000 kHz 0000693925 N/A N/A
Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator	12.5000 kHz 0000693925 N/A N/A
Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator Antenna details	12.5000 kHz 0000693925 N/A N/A 10K1F3E
Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator Antenna details Antenna ID	12.5000 kHz 0000693925 N/A N/A 10K1F3E
Bandwidth Freq. assign. ID Transmitter power EIRP Emission designator Antenna details Antenna ID Antenna polarisation	12.5000 kHz 0000693925 N/A N/A 10K1F3E

# Special Conditions applying to Station 1

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

### **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

## Supplementary Station Site Station 2:

Site details				
Site ID	54270			
Site address	Railway Station, MINTO NSW 2565			
Co-ordinates (GDA94)	Latitude: -34.01010112	Longitude:	150.85006932	

<u>Transmitter details</u>	
Assigned frequency	418.175000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0000693918
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F8WWN
Antenna details	
Antenna ID	7
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	0
Antenna type	Yagi (Vertical Polarisation)-Y
Receiver details	
Assigned frequency	408.725000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0000693919
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F8WWN
Antenna details	
Antenna ID	7
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	0
Antenna type	Yagi (Vertical Polarisation)-Y

# **Special Conditions applying to Station 2**

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.

### **Technical characteristics**

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

# Supplementary Station Site Station 3:

Site details	
Site ID	206198
Site address	Railway Station Site COLEDALE, Between Middle Heights Rd & Railway St, COLEDALE NSW 2515
Co-ordinates (GDA94)	Latitude: -34.28919695 Longitude: 150.94327896

Transmitter details	
Assigned frequency	418.175000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0000693920
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F3E
Antenna details	
Antenna ID	107
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	0
Antenna type	Yagi (Vertical Polarisation)-Y
Receiver details	
Assigned frequency	408.725000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0000693921
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F3E
Antenna details	
Antenna ID	107
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	0
Antenna type	Yagi (Vertical Polarisation)-Y

## **Special Conditions applying to Station 3**

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

When the transmitter is coupled to an antenna the level of all discrete spurious components caused by the transmitter & measured at the connection to the antenna must not exceed -30 DBM. Broadband noise floor of the transmitter measured at the same point must not exceed -47 DBM in a 16 kHz bandwidth for frequency offsets greater than 300 kHz from the transmit frequency.