Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	446656
Licensee	Country Fire Authority
Licensee address	PO Box 701, MOUNT WAVERLEY, VIC 3149
Licence details	
Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	1310841/1
Callsign	VH3HXA
Date of issue	04/02/2024
Date of effect	04/02/2024
Date of expiry	15/03/2025
Licence conditions	

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1310841/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Station 1:

Station 1.		
42057		
Towong St, TALLANGATTA VIC 3700		
Latitude: -36.216043	Longitude:	147.17671
161.125000 MHz		
12.5000 kHz		
0000721801		
50.00 W		
83.00 W		
10K1F3E		
13440		
V - Vertical linear		
10		
Coaxial Dipole-D		
161.125000 MHz		
12.5000 kHz		
0000721804		
N/A		
N/A		
10K1F3E		
13440		
V - Vertical linear		
10		
Coaxial Dipole-D		
	42057 Towong St, TALLANGATTA VIC 3700 Latitude: -36.216043 161.125000 MHz 12.5000 kHz 0000721801 50.00 W 83.00 W 10K1F3E 13440 V - Vertical linear 10 Coaxial Dipole-D 161.125000 MHz 12.5000 kHz 0000721804 N/A N/A N/A 10K1F3E 13440 V - Vertical linear 10 10 10 10 10 10 10 10 10 10	Towong St, TALLANGATTA VIC 3700 Latitude: -36.216043 Longitude: 161.125000 MHz 12.5000 kHz 0000721801 50.00 W 83.00 W 10K1F3E 10 Coaxial Dipole-D 161.125000 MHz 12.5000 kHz 0000721801 50.00 W 83.00 W 10K1F3E 110 Coaxial Dipole-D 161.125000 MHz 12.5000 kHz 0000721804 N/A N/A 10K1F3E 13440 V - Vertical linear 13440 V - Vertical linear 10

Main Station Site

Special Conditions applying to Station 1

An efficient cavity filter must be fitted between the transceiver and the antenna.