

Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details

Customer ID	74813
Licensee	Toowoomba Regional Council
Trading name	Water Infrastructure Services
Licensee address	PO Box 3021-Water Infrastructure Services, TOOWOOMBA VILLAGE FAIR, QLD 4350

Licence details

Licence service	Fixed
Licence subservice	Point to Point
Licence number	1406758/1
Date of issue	26/02/2024
Date of effect	26/02/2024
Date of expiry	01/03/2025

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre
PO Box 78
BELCONNEN ACT 2616

Telephone: 1300 850 115
Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1406758/1

Conditions applicable to the operation of Point to Point station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Fixed Licence) Determination, the 'fixed licence lcd'. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Link 1

Site details		Site 1	Site 2
Site ID		400641	14448
Site address		Notional Site 30 km E of Poinciana St, TOOWOOMBA QLD 4343	Optus/Vodafone/Council Site Water Twr Cnr Poplar & Poinciana Sts, TOOWOOMBA QLD 4350
Co-ordinates (GDA94)		Lat: -27.564173 Long: 152.226125	Lat: -27.562065 Long: 151.922134
Equipment details:			
Assigned TX frequency		414.425000 MHz	404.975000 MHz
Assigned RX frequency		404.975000 MHz	414.425000 MHz
Bandwidth		25.0000 kHz	25.0000 kHz
Freq. assign. ID		0000658060	0000658062
Transmitter power		1.00 W	1.00 W
EIRP			
Emission designator		16K0F1D	16K0F1D
Antenna details			
Antenna ID		1	72
Antenna polarisation		V - Vertical linear	V - Vertical linear
Antenna azimuth		270.38	90.52
Antenna height (m)		0.00	0.00
Antenna type		Unknown antenna type, size or specifications	Colinear Vertical-U

Special Conditions applying to Station 1

The level of all discreet spurious components, measured at the output of the transmitter, must not exceed -30dBm.

Special Conditions applying to Station 2

The level of power in the adjacent channel must not exceed -22dBm.