Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	5832
Licensee	NSW Rural Fire Service
Trading name	
Licensee address	Locked Mail Bag 17, GRANVILLE, NSW 2142

Licence details	
Licence service	Fixed
Licence subservice	Point to Point
Licence number	14837/1
Callsign	VL2OR
Date of issue	21/05/2023
Date of effect	21/05/2023
Date of expiry	29/06/2024

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Fixed - Point to Point Page 1 of 3

Special Conditions applying to licence no.: 14837/1

No interference shall be caused to any Radiocommunication station or service and no protection from interference t such stations or services shall be afforded.

Advisory Notes applying to licence no.: 14837/1

Conditions applicable to the operation of Point to Point station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Fixed Licence) Determination, the 'fixed licence lcd'. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Fixed - Point to Point Page 2 of 3

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Link 1

Site details	Site 1	Site 2	
Site ID	10712	9956	
Site address	Transgrid 45.7m Lattice Tower, Mount Canobolas Rd, CANOBOLAS NSW 2800	Crest Site, 23 km SW of Cootamundra, MT ULANDRA NSW 2590	
Co-ordinates (GDA94)	Lat: -33.34557 Long: 148.9811	Lat: -34.820550 Long: 147.901487	
Equipment details:			
Assigned TX frequency	404.725000 MHz	414.175000 MHz	
Assigned RX frequency	414.175000 MHz	404.725000 MHz	
Bandwidth	25.0000 kHz	25.0000 kHz	
Freq. assign. ID	0001145369	0001145367	
Transmitter power	1.00 W	1.00 W	
EIRP		0 mW	
Emission designator	16K0F3E	16K0F3E	
Antenna details			
Antenna ID	106	106	
Antenna polarisation	H - Horizontal linear	H - Horizontal linear	
Antenna azimuth	211.00	31.60	
Antenna height (m)	0	0	
Antenna type	Yagi (Horizontal Polarisation)-Y	Yagi (Horizontal Polarisation)-Y	

Fixed - Point to Point Page 3 of 3