Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	118314
Licensee	Central Highlands Amateur Radio Club
Licensee address	84 Retro Street, EMERALD, QLD 4720
Licence details	
Licence service	Amateur
Licence subservice	Amateur Repeater
Licence number	174480/2
Callsign	VK4REP
Date of issue	01/07/2023
Date of effect	30/06/2023
Date of expiry	05/08/2024
Licence conditions	

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Special Conditions applying to licence no.: 174480/2

No interference shall be caused to any Radiocommunication station or service and no protection from interference by such stations or services shall be afforded.

Advisory Notes applying to licence no.: 174480/2

Conditions applicable to the operation of Amateur Repeater station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Amateur Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Site details Site ID 18914 Site address Nixon Site, MIDDLEMOUNT QLD 4746 Co-ordinates (GDA94) Latitude: Longitude: -22.809551 148.674596 Transmitter details Assigned frequency 147.050000 MHz Bandwidth 25.0000 kHz 0001982864 Freq. assign. ID Transmitter power 50.00 W EIRP 83.00 W Emission designator 16K0F9W Antenna details Antenna ID 80241 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 30 Dipole-D Antenna type **Receiver details** Assigned frequency 147.650000 MHz Bandwidth 25.0000 kHz 0001982865 Freq. assign. ID Transmitter power N/A EIRP N/A 16K0F9W Emission designator Antenna details Antenna ID 80241 V - Vertical linear Antenna polarisation Antenna azimuth Antenna height (m) 30

Station 1:

Antenna type

Dipole-D

Technical characteristics

Main Station Site

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Station 2:

Site details Site ID 18914 Site address Nixon Site, MIDDLEMOUNT QLD 4746 Co-ordinates (GDA94) Latitude: Longitude: 148.674596 -22.809551 Transmitter details Assigned frequency 145.175000 MHz Bandwidth 25.0000 kHz Freq. assign. ID 0000515483 Transmitter power 50.00 W EIRP 83.00 W 16K0F2D Emission designator Antenna details Antenna ID 60013 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 0 Dipole-D Antenna type **Receiver details** Assigned frequency 145.175000 MHz Bandwidth 25.0000 kHz 0000515484 Freq. assign. ID Transmitter power N/A EIRP N/A 16K0F2D Emission designator Antenna details Antenna ID 60013 V - Vertical linear Antenna polarisation Antenna azimuth

Special Conditions applying to Station 2

0

Dipole-D

An efficient cavity filter must be fitted between the transmitter and the antenna.

An efficient cavity filter must be fitted between the receiver and the antenna.

Antenna height (m)

Antenna type

Technical characteristics

Main Station Site

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Station 3:

Site details Site ID 18914 Site address Nixon Site, MIDDLEMOUNT QLD 4746 Co-ordinates (GDA94) Latitude: Longitude: 148.674596 -22.809551 Transmitter details Assigned frequency 430.450000 MHz Bandwidth 25.0000 kHz Freq. assign. ID 0000515485 Transmitter power 50.00 W EIRP 16K0F2D Emission designator Antenna details Antenna ID 70030 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 0 Colinear Vertical-U Antenna type **Receiver details** Assigned frequency 440.450000 MHz Bandwidth 25.0000 kHz 0000515486 Freq. assign. ID Transmitter power N/A EIRP N/A 16K0F2D Emission designator Antenna details Antenna ID 70030 V - Vertical linear Antenna polarisation Antenna azimuth Antenna height (m) 0 Colinear Vertical-U Antenna type

Special Conditions applying to Station 3

An efficient cavity filter must be fitted between the receiver and the antenna.

An efficient cavity filter must be fitted between the transmitter and the antenna.