Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



1412980 Visy Pulp and Paper Pty Ltd
Visy Pulp and Paper Pty Ltd
Visy Pulp and Paper
PO Box 98, TUMUT, NSW 2720
Land Mobile
Land Mobile System - > 30MHz
1911214/1
VJB540
16/02/2024
16/02/2024
04/03/2025

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1911214/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Main Station Site

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Station 1:

Site detailsSite ID402187Site address436 Gadara Rd, TUMUT NSW 2729Co-ordinates (GDA94)Latitude: -35.295576Longitude: 148.137789Transmitter detailsAssigned frequency450.475000 MHzBandwidth25.0000 kHzFreq. assign. ID0000898650Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna detailsAntenna ID60010Antenna polarisationV - Vertical linearAntenna azimuth	
Site address436 Gadara Rd, TUMUT NSW 2729Co-ordinates (GDA94)Latitude: -35.295576Longitude: 148.137789Transmitter detailsAssigned frequency450.475000 MHzBandwidth25.0000 kHzFreq. assign. ID0000898650Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna ID60010Antenna polarisationV - Vertical linear	
Co-ordinates (GDA94)Latitude: -35.295576Longitude: 148.137789Transmitter detailsAssigned frequency450.475000 MHzBandwidth25.0000 kHzFreq. assign. ID0000898650Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna ID60010Antenna polarisationV - Vertical linear	
Transmitter detailsAssigned frequency450.475000 MHzBandwidth25.0000 kHzFreq. assign. ID0000898650Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna detailsAntenna ID60010Antenna polarisationV - Vertical linear	
Assigned frequency450.475000 MHzBandwidth25.0000 kHzFreq. assign. ID0000898650Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna detailsAntenna ID60010Antenna polarisationV - Vertical linear	
Bandwidth25.0000 kHzFreq. assign. ID0000898650Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna detailsAntenna ID60010Antenna polarisationV - Vertical linear	
Freq. assign. ID 0000898650 Transmitter power 5.00 W EIRP 8.30 W Emission designator 16K0F3E Antenna details Antenna ID 60010 Antenna polarisation V - Vertical linear	
Transmitter power5.00 WEIRP8.30 WEmission designator16K0F3EAntenna detailsAntenna ID60010Antenna polarisationV - Vertical linear	
EIRP 8.30 W Emission designator 16K0F3E Antenna details 60010 Antenna polarisation V - Vertical linear	
Emission designator 16K0F3E Antenna details 60010 Antenna polarisation V - Vertical linear	
Antenna details Antenna ID 60010 Antenna polarisation V - Vertical linear	
Antenna ID 60010 Antenna polarisation V - Vertical linear	
Antenna polarisation V - Vertical linear	
Antenna azimuth	
Antenna height (m) 0	
Antenna type Dipole-D	
Receiver details	
Assigned frequency 450.475000 MHz	
Bandwidth 25.0000 kHz	
Freq. assign. ID 0000898653	
Transmitter power N/A	
EIRP N/A	
Emission designator 16K0F3E	
Antenna details	
Antenna ID 60010	
Antenna polarisation V - Vertical linear	
Antenna azimuth	
Antenna height (m) 0	
Antenna type Dipole-D	

Special Conditions applying to Station 1

The level of power in the adjacent channel must not exceed -22dBm.

The level of all discreet spurious components, measured at the output of the transmitter, must not exceed -30dBm.