Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001
Licence details	
Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927705/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025
Licence conditions	

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details	
Site ID	601338
Site address	Vodafone Site Carey Park Edith Cowan University, BUNBURY WA 6230
Co-ordinates (GDA94)	Latitude: -33.37157 Longitude: 115.65235
Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908650
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	31
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908653
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	31
Antenna type	Panel (1 sector)-R

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 2:

Site details	
Site ID	601124
Site address	GSM telstra Mangles Road, BUNBURY WA 6230
Co-ordinates (GDA94)	Latitude: -33.3485 Longitude: 115.62918
Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000908654
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	22
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000908657
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	22
Antenna type	Panel (1 sector)-R

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 3:

Site details	
Site ID	601338
Site address	Vodafone Site Carey Park Edith Cowan University, BUNBURY WA 6230
Co-ordinates (GDA94)	Latitude: -33.37157 Longitude: 115.65235
Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908658
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	31
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908661
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	31
Antenna type	Panel (1 sector)-R

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 4:

Site details			
Site ID	27861		
Site address	Telstra Exchange, Victoria Street, BUNBURY WA 6230		
Co-ordinates (GDA94)	Latitude: -33.32673	Longitude:	115.636464
Transmitter details			
Assigned frequency	2.12750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908662		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	40		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908665		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	40		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 5:

Site details			
Site ID	27861		
Site address	Telstra Exchange, Victoria Street, BUNBURY WA 6230		
Co-ordinates (GDA94)	Latitude: -33.32673	Longitude:	115.636464
Transmitter details			
Assigned frequency	2.12250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908666		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	40		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908669		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	40		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 6:

Site details			
Site ID	601127		
Site address	Telstra Site, cnr Picton Rd & Lot 7 Bank St, PICTON JUNCTION WA 6229		
Co-ordinates (GDA94)	Latitude: -33.351151 Longitude: 115.69248		
Transmitter details			
Assigned frequency	2.12250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908670		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	22		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908673		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	22		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 7:

Site details			
Site ID	9009413		
Site address	Rooftop Surf Club, Ocean Dr, BUNBURY WA 6230		
Co-ordinates (GDA94)	Latitude: -33.326991	Longitude:	115.629894
Transmitter details			
Assigned frequency	2.12750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908674		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details	· ·		
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	11		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908677		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	11		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 8:

Site details			
Site ID	601124		
Site address	GSM telstra Mangles Road, BUNBURY WA 6230		
Co-ordinates (GDA94)	Latitude: -33.3485 Longitude: 115.62918		
Transmitter details			
Assigned frequency	2.12750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908678		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	22		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908681		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	22		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Site details Site ID 139124 Site address South Western Hwy, PICTON WA 6229 Co-ordinates (GDA94) Latitude: Longitude: -33.351308 115.691877 Transmitter details Assigned frequency 2.12250000 GHz Bandwidth 5.000000 MHz 0000908682 Freq. assign. ID Transmitter power 60.00 W EIRP 2.13 kW Emission designator 3M84F9W Antenna details Antenna ID 80154 Antenna polarisation SR - Right-hand slant Antenna azimuth Antenna height (m) 50 Panel (1 sector)-R Antenna type **Receiver details** Assigned frequency 1.93250000 GHz Bandwidth 5.000000 MHz 0000908685 Freq. assign. ID Transmitter power N/A EIRP N/A 3M84F9W Emission designator Antenna details Antenna ID 80154 Antenna polarisation SR - Right-hand slant Antenna azimuth Antenna height (m) 50

Panel (1 sector)-R

Main Station Site

Station 9:

Antenna type

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 10:

Site details			
Site ID	601127		
Site address	Telstra Site, cnr Picton Rd & Lot 7 Bank St, PICTON JUNCTION WA 6229		
Co-ordinates (GDA94)	Latitude: -33.351151 Longitude: 115.69248		
Transmitter details			
Assigned frequency	2.12750000 GHz		
Bandwidth	5.00000 MHz		
Freq. assign. ID	0000908686		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	22		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93750000 GHz		
Bandwidth	5.00000 MHz		
Freq. assign. ID	0000908689		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	22		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 11:

Site details			
Site ID	9009413		
Site address	Rooftop Surf Club, Ocean Dr, BUNBURY WA 6230		
Co-ordinates (GDA94)	Latitude: -33.326991	Longitude:	115.629894
Transmitter details			
Assigned frequency	2.12250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908690		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	11		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908693		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	11		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 11

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 12:

Site details			
Site ID	139124		
Site address	South Western Hwy, PICTON WA 6229		
Co-ordinates (GDA94)	Latitude: -33.351308	Longitude:	115.691877
Transmitter details			
Assigned frequency	2.12750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908694		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	50		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.93750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000908697		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	50		
Antenna type	Panel (1 sector)-R		

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 12

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 13:

Site details	
Site ID	600893
Site address	Optus Tower, Mineral Sands Mining Bunbury Wharf, BUNBURY WA 6230
Co-ordinates (GDA94)	Latitude: -33.320123 Longitude: 115.652529
Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908698
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908701
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 13

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 14:

Site details	
Site ID	600893
Site address	Optus Tower, Mineral Sands Mining Bunbury Wharf, BUNBURY WA 6230
Co-ordinates (GDA94)	Latitude: -33.320123 Longitude: 115.652529
Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908702
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908705
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 14

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.