

Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details

Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001

Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927730/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre
PO Box 78
BELCONNEN ACT 2616

Telephone: 1300 850 115
Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details

Site ID	21514
Site address	Telstra Radio Terminal, CHILLAGOE QLD 4871
Co-ordinates (GDA94)	Latitude: -17.159489 Longitude: 144.541281

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908930
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908933
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 2:

Site details

Site ID	21514
Site address	Telstra Radio Terminal, CHILLAGOE QLD 4871
Co-ordinates (GDA94)	Latitude: -17.159489 Longitude: 144.541281

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908934
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908937
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 3:

Site details

Site ID	21526
Site address	Telstra Radio Terminal, LYND RIVER QLD 4872
Co-ordinates (GDA94)	Latitude: -18.023548 Longitude: 144.871154

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908938
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908941
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 4:

Site details	
Site ID	21526
Site address	Telstra Radio Terminal, LYND RIVER QLD 4872
Co-ordinates (GDA94)	Latitude: -18.023548 Longitude: 144.871154

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908942
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908945
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

If interference to a station operated under this licence is caused by a radiocommunications device that is authorised to operate under a spectrum licence, ACMA will consider any dispute from the starting point that the spectrum licence has priority over this licence, irrespective of the date that the spectrum licenced device was first operated.

Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 5:

Site details

Site ID	132618
Site address	Telstra Site, Koah Rd, CLOHESY QLD 4872
Co-ordinates (GDA94)	Latitude: -16.893284 Longitude: 145.560706

Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908946
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908949
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 6:

Site details

Site ID	132618
Site address	Telstra Site, Koah Rd, CLOHESY QLD 4872
Co-ordinates (GDA94)	Latitude: -16.893284 Longitude: 145.560706

Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908950
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908953
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 7:

Site details

Site ID	37733
Site address	Telstra Radio Terminal, DIMBULAH QLD 4872
Co-ordinates (GDA94)	Latitude: -17.14754 Longitude: 145.11128

Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908954
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908957
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 8:

Site details

Site ID	440469
Site address	Telstra Site Deep Gorge, MAREEBA QLD 4880
Co-ordinates (GDA94)	Latitude: -17.010186 Longitude: 145.322412

Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908958
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	51
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908961
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	51
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 9:

Site details

Site ID	9007660
Site address	Telstra Site, 10 Main St, MOUNT MOLLOY QLD 4871
Co-ordinates (GDA94)	Latitude: -16.672884 Longitude: 145.329992

Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908962
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908965
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 9

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 10:

Site details

Site ID	9007660
Site address	Telstra Site, 10 Main St, MOUNT MOLLOY QLD 4871
Co-ordinates (GDA94)	Latitude: -16.672884 Longitude: 145.329992

Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908966
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908969
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 10

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 11:

Site details	
Site ID	21695
Site address	Met Bureau Hut, Saddle Mountain Road 3 km E of Kuranda, SADDLE MOUNTAIN QLD 4871
Co-ordinates (GDA94)	Latitude: -16.818195 Longitude: 145.663041

Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908970
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908973
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 11

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 11

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 12:

Site details	
Site ID	37733
Site address	Telstra Radio Terminal, DIMBULAH QLD 4872
Co-ordinates (GDA94)	Latitude: -17.14754 Longitude: 145.11128

Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908974
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908977
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 12

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 12

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 13:

Site details	
Site ID	440469
Site address	Telstra Site Deep Gorge, MAREEBA QLD 4880
Co-ordinates (GDA94)	Latitude: -17.010186 Longitude: 145.322412

Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908978
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	51
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908981
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	51
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 13

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 13

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 14:

Site details	
Site ID	21695
Site address	Met Bureau Hut, Saddle Mountain Road 3 km E of Kuranda, SADDLE MOUNTAIN QLD 4871
Co-ordinates (GDA94)	Latitude: -16.818195 Longitude: 145.663041

Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908982
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908985
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 14

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 14

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 15:

Site details

Site ID	21993
Site address	Telstra Exchange, MAREEBA QLD 4880
Co-ordinates (GDA94)	Latitude: -16.99297 Longitude: 145.421585

Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908986
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908989
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 15

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 15

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 16:

Site details

Site ID	21993
Site address	Telstra Exchange, MAREEBA QLD 4880
Co-ordinates (GDA94)	Latitude: -16.99297 Longitude: 145.421585

Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908990
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000908993
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 16

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 16

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.