

# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



## Licensee details

Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001

## Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927741/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

## ACMA contact details

Customer Service Centre  
PO Box 78  
BELCONNEN ACT 2616

Telephone: 1300 850 115  
Email: [info@acma.gov.au](mailto:info@acma.gov.au)

ACMA website: [www.acma.gov.au](http://www.acma.gov.au)

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 1:

#### Site details

Site ID	133716
Site address	Telstra Site Frenchville Water Reservoir, Forbes St, FRENCHVILLE QLD 4701
Co-ordinates (GDA94)	Latitude: -23.346678 Longitude: 150.550887

#### Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909174
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909177
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 2:

#### Site details

Site ID	133716
Site address	Telstra Site Frenchville Water Reservoir, Forbes St, FRENCHVILLE QLD 4701
Co-ordinates (GDA94)	Latitude: -23.346678 Longitude: 150.550887

#### Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909178
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909181
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 3:

Site details	
Site ID	9007673
Site address	Telstra Site, Richardson Rd, PARK AVENUE QLD 4701
Co-ordinates (GDA94)	Latitude: -23.347033 Longitude: 150.506969

Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909182
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909185
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 4:

#### Site details

Site ID	460642
Site address	Telstra Exchange 12 Denham St, ROCKHAMPTON QLD 4700
Co-ordinates (GDA94)	Latitude: -23.377821 Longitude: 150.512598

#### Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909186
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909189
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 5:

#### Site details

Site ID	17173
Site address	Telstra Radio Terminal, ROCKHAMPTON QLD 4700
Co-ordinates (GDA94)	Latitude: -23.385793 Longitude: 150.492909

#### Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909190
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909193
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 6:

Site details	
Site ID	9001359
Site address	Koongal Telstra RBS Indoor Sports Centre, Lot 2 Thozet Rd, ROCKHAMPTON QLD 4701
Co-ordinates (GDA94)	Latitude: -23.373043 Longitude: 150.545368

Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909194
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909197
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 7:

#### Site details

Site ID	17173
Site address	Telstra Radio Terminal, ROCKHAMPTON QLD 4700
Co-ordinates (GDA94)	Latitude: -23.385793 Longitude: 150.492909

#### Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909198
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909201
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	27
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 8:

#### Site details

Site ID	9007673
Site address	Telstra Site, Richardson Rd, PARK AVENUE QLD 4701
Co-ordinates (GDA94)	Latitude: -23.347033 Longitude: 150.506969

#### Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909202
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909205
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 9:

#### Site details

Site ID	17436
Site address	Telstra, Berserker Radio Terminal, MT ARCHER QLD 4701
Co-ordinates (GDA94)	Latitude: -23.338736 Longitude: 150.577752

#### Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909206
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909209
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 9

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 10:

#### Site details

Site ID	9001359		
Site address	Koongal Telstra RBS Indoor Sports Centre, Lot 2 Thozet Rd, ROCKHAMPTON QLD 4701		
Co-ordinates (GDA94)	Latitude: -23.373043	Longitude:	150.545368

#### Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909210
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909213
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 10

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 11:

Site details	
Site ID	9002727
Site address	Rockhampton Shopping Fair, Yaamba Road, NORTH ROCKHAMPTON QLD 4701
Co-ordinates (GDA94)	Latitude: -23.35515 Longitude: 150.52315

Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909214
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	15
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909217
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	15
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 11

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 11

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 12:

#### Site details

Site ID	17436
Site address	Telstra, Berserker Radio Terminal, MT ARCHER QLD 4701
Co-ordinates (GDA94)	Latitude: -23.338736 Longitude: 150.577752

#### Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909218
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909221
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 12

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 12

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 13:

#### Site details

Site ID	460642
Site address	Telstra Exchange 12 Denham St, ROCKHAMPTON QLD 4700
Co-ordinates (GDA94)	Latitude: -23.377821 Longitude: 150.512598

#### Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909222
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909225
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 13

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 13

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 14:

Site details	
Site ID	9002629
Site address	TELSTRA SITE, Cnr Yaamba & Yeppoon Rds, ROCKHAMPTON QLD 4701
Co-ordinates (GDA94)	Latitude: -23.325044 Longitude: 150.519108

Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909226
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909229
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 14

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 14

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 15:

#### Site details

Site ID	9002727
Site address	Rockhampton Shopping Fair, Yaamba Road, NORTH ROCKHAMPTON QLD 4701
Co-ordinates (GDA94)	Latitude: -23.35515 Longitude: 150.52315

#### Transmitter details

Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909230
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	15
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909233
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	15
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 15

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 15

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 16:

Site details	
Site ID	9002629
Site address	TELSTRA SITE, Cnr Yaamba & Yeppoon Rds, ROCKHAMPTON QLD 4701
Co-ordinates (GDA94)	Latitude: -23.325044 Longitude: 150.519108

Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909234
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909237
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	16
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 16

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 16

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 17:

Site details	
Site ID	9012543
Site address	Telstra RBS Site, 131 Richardson Rd, KAWANA QLD 4701
Co-ordinates (GDA94)	Latitude: -23.358253 Longitude: 150.495668

Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909238
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909241
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 17

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 17

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 18:

Site details	
Site ID	9012340
Site address	Telstra Site, Cnr Fiddes and Harvey St, PORT CURTIS QLD 4700
Co-ordinates (GDA94)	Latitude: -23.410763 Longitude: 150.514548

Transmitter details	
Assigned frequency	2.12250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909242
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909245
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 18

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 18

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 19:

#### Site details

Site ID	9012543
Site address	Telstra RBS Site, 131 Richardson Rd, KAWANA QLD 4701
Co-ordinates (GDA94)	Latitude: -23.358253 Longitude: 150.495668

#### Transmitter details

Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909246
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909249
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 19

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 19

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 20:

Site details	
Site ID	9012340
Site address	Telstra Site, Cnr Fiddes and Harvey St, PORT CURTIS QLD 4700
Co-ordinates (GDA94)	Latitude: -23.410763 Longitude: 150.514548

Transmitter details	
Assigned frequency	2.12750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909250
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.93750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909253
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 20

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 20

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.