

# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



## Licensee details

Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001

## Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927751/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### **Rights of appeal**

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### **Important**

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

## ACMA contact details

Customer Service Centre  
PO Box 78  
BELCONNEN ACT 2616

Telephone: 1300 850 115  
Email: [info@acma.gov.au](mailto:info@acma.gov.au)

ACMA website: [www.acma.gov.au](http://www.acma.gov.au)

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 1:

#### Site details

Site ID	480518
Site address	Telstra Radio Terminal, PHOSPHATE HILL QLD 4825
Co-ordinates (GDA94)	Latitude: -21.882039 Longitude: 139.971737

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909562
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	52
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909565
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	52
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 2:

Site details	
Site ID	20287
Site address	Telstra Radio Terminal, DAJARRA QLD 4825
Co-ordinates (GDA94)	Latitude: -21.694109 Longitude: 139.51318

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909566
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909569
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 3:

#### Site details

Site ID	20144
Site address	Telstra Radio Terminal, FLORENCE BORE QLD 4824
Co-ordinates (GDA94)	Latitude: -21.196522 Longitude: 140.385404

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909570
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	121
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909573
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	121
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 4:

#### Site details

Site ID	20144
Site address	Telstra Radio Terminal, FLORENCE BORE QLD 4824
Co-ordinates (GDA94)	Latitude: -21.196522 Longitude: 140.385404

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909574
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	121
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909577
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	121
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 5:

#### Site details

Site ID	20287
Site address	Telstra Radio Terminal, DAJARRA QLD 4825
Co-ordinates (GDA94)	Latitude: -21.694109 Longitude: 139.51318

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909578
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909581
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 6:

#### Site details

Site ID	20123
Site address	Telstra Radio Terminal, Mount Avarice 3.5 km SE of, CLONCURRENCY QLD 4824
Co-ordinates (GDA94)	Latitude: -20.722677 Longitude: 140.539187

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909582
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909585
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 7:

#### Site details

Site ID	20210
Site address	Telstra Radio Terminal, MARY KATHLEEN QLD 4825
Co-ordinates (GDA94)	Latitude: -20.773492 Longitude: 140.028411

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909586
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	37
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909589
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	37
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 8:

#### Site details

Site ID	20210
Site address	Telstra Radio Terminal, MARY KATHLEEN QLD 4825
Co-ordinates (GDA94)	Latitude: -20.773492 Longitude: 140.028411

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909590
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	37
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909593
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	37
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 9:

#### Site details

Site ID	20126
Site address	Telstra Radio Terminal, WILLIAMS RIVER QLD 4824
Co-ordinates (GDA94)	Latitude: -20.635054 Longitude: 141.0061

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909596
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909601
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 9

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 10:

#### Site details

Site ID	20123
Site address	Telstra Radio Terminal, Mount Avarice 3.5 km SE of, CLONCURRENCY QLD 4824
Co-ordinates (GDA94)	Latitude: -20.722677 Longitude: 140.539187

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909602
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909605
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 10

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 11:

#### Site details

Site ID	480518
Site address	Telstra Radio Terminal, PHOSPHATE HILL QLD 4825
Co-ordinates (GDA94)	Latitude: -21.882039 Longitude: 139.971737

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909606
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	52
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909609
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	52
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 11

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 11

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 12:

#### Site details

Site ID	20126
Site address	Telstra Radio Terminal, WILLIAMS RIVER QLD 4824
Co-ordinates (GDA94)	Latitude: -20.635054 Longitude: 141.0061

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909610
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909613
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 12

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 12

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 13:

Site details	
Site ID	9013509
Site address	Cloncurry TE, 46 Sheaffe St, CLONCURRY QLD 4824
Co-ordinates (GDA94)	Latitude: -20.705182 Longitude: 140.505773

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909614
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909617
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 13

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 13

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 14:

#### Site details

Site ID	9013509
Site address	Cloncurry TE, 46 Sheaffe St, CLONCURRY QLD 4824
Co-ordinates (GDA94)	Latitude: -20.705182 Longitude: 140.505773

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909618
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909621
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 14

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 14

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 15:

#### Site details

Site ID	9013505
Site address	Dugald River Mine, 62 km NW of Cloncurry, CLONCURRY QLD 4824
Co-ordinates (GDA94)	Latitude: -20.255189 Longitude: 140.154034

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909622
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909625
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 15

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 15

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 16:

#### Site details

Site ID	9013505
Site address	Dugald River Mine, 62 km NW of Cloncurry, CLONCURRY QLD 4824
Co-ordinates (GDA94)	Latitude: -20.255189 Longitude: 140.154034

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909626
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000909629
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 16

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 16

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.