Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details		
Customer ID	20053839	
Licensee	TELSTRA LIMITED	
Trading name	Telstra - Commercial Engineering - Spectrum Strategy	
Licensee address	Locked Bag 3501, BRISBANE, QLD_4001	
Licence details		
Licence service	PTS	
Licence subservice	PMTS Class B	
Licence number	1927813/1	
Date of issue	12/10/2023	
Date of effect	12/10/2023	
Date of expiry	11/10/2025	
Liconco conditiono		

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78 BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details		
Site ID	9008314	
Site address	Moly Metals Tower Communications Hill, Spinifex Ridge 2.7 km W of, COPPIN GAP WA 6760	
Co-ordinates (GDA94)	Latitude: -20.883625 Longitude: 120.092347	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911398	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	50	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911401	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	50	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 2:

Site details	
Site ID	134113
Site address	Broadcast Site, Hope Downs Mine Exploration, HOPE DOWNS WA 6753
Co-ordinates (GDA94)	Latitude: -22.971977 Longitude: 119.087718
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911402
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	29
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911405
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	29
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 3:

Site details	
Site ID	9009239
Site address	Yandi II Minesite, Great Northern Hwy, MARILLANA WA 6753
Co-ordinates (GDA94)	Latitude: -22.712517 Longitude: 119.095877
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911406
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	39
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911409
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	39
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 4:

Site details	
Site ID	136171
Site address	Hamersley Iron Admistration Building, Hope Downs Village, HOPE DOWNS WA 6753
Co-ordinates (GDA94)	Latitude: -23.049625 Longitude: 119.022058
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911410
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911413
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 5:

Site details	
Site ID	36403
Site address	Telstra Exchange, MARBLE BAR WA 6760
Co-ordinates (GDA94)	Latitude: -21.172992 Longitude: 119.750875
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911414
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	70
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911417
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	70
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 6:

Site details	
Site ID	9008314
Site address	Moly Metals Tower Communications Hill, Spinifex Ridge 2.7 km W of, COPPIN GAP WA 6760
Co-ordinates (GDA94)	Latitude: -20.883625 Longitude: 120.092347
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911418
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	50
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911421
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	50
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 7:

Site details	
Site ID	134113
Site address	Broadcast Site, Hope Downs Mine Exploration, HOPE DOWNS WA 6753
Co-ordinates (GDA94)	Latitude: -22.971977 Longitude: 119.087718
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911422
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	29
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911425
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	29
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 8:

Site details	
Site ID	136171
Site address	Hamersley Iron Admistration Building, Hope Downs Village, HOPE DOWNS WA 6753
Co-ordinates (GDA94)	Latitude: -23.049625 Longitude: 119.022058
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911426
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911429
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 9:

Site details		
Site ID	9009239	
Site address	Yandi II Minesite, Great Northern Hwy, MARILLANA WA 6753	
Co-ordinates (GDA94)	Latitude: -22.712517 Longitude: 119.095877	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911430	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	39	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911433	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	39	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 9

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 10:

Site details		
Site ID	36403	
Site address	Telstra Exchange, MARBLE BAR WA 6760	
Co-ordinates (GDA94)	Latitude: -21.172992 Longitude: 119.750875	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911434	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	70	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911437	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	70	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 10

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 11:

Site details		
Site ID	36529	
Site address	Radio Hill Lookout, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -23.362641 Longitude: 119.725978	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911438	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	37	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911441	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	37	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 11

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 11

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 12:

Site details	
Site ID	9010851
Site address	Telstra RBS Site, 135 Great Northern Hwy, MARBLE BAR WA 6760
Co-ordinates (GDA94)	Latitude: -21.990712 Longitude: 119.015404
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911442
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911445
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 12

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 12

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 13:

Site details	
Site ID	9010851
Site address	Telstra RBS Site, 135 Great Northern Hwy, MARBLE BAR WA 6760
Co-ordinates (GDA94)	Latitude: -21.990712 Longitude: 119.015404
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911446
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911449
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	41
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 13

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 13

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 14:

Site details	
Site ID	153445
Site address	Broadcast Site, Packsaddle Village Mining Area C via, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -22.907011 Longitude: 118.884137
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911450
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911453
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 14

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 14

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 15:

Site details	
Site ID	40770
Site address	W 14 Communications Site Minesite, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.365073 Longitude: 119.679245
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911454
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	56
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911457
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	56
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 15

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 15

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 16:

Site details		
Site ID	9010963	
Site address	Telstra RBS Site, Great Northern Hwy, NEWMAN WA 6754	
Co-ordinates (GDA94)	Latitude: -22.696548 Longitude: 118.995768	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911458	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	24	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911461	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	24	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 16

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 16

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 17:

Site details	
Site ID	153445
Site address	Broadcast Site, Packsaddle Village Mining Area C via, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -22.907011 Longitude: 118.884137
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911462
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911465
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 17

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 17

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 18:

Site details	
Site ID	9009567
Site address	Telstra RBS Site, Lot 300 Newman Drive, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.348051 Longitude: 119.73782
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911466
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911469
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 18

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 18

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 19:

Site details		
Site ID	36529	
Site address	Radio Hill Lookout, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -23.362641 Longitude: 119.725978	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911470	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	37	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911473	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	37	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 19

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 19

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 20:

Site details	
Site ID	9001293
Site address	Telstra Site, West Angelas Mine CMTS 120 km NW of, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.154588 Longitude: 118.780105
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911474
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911477
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 20

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 20

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 21:

Site details	
Site ID	9001293
Site address	Telstra Site, West Angelas Mine CMTS 120 km NW of, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.154588 Longitude: 118.780105
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911478
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911481
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 21

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 21

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 22:

Site details	
Site ID	40770
Site address	W 14 Communications Site Minesite, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.365073 Longitude: 119.679245
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911482
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	56
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911485
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	56
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 22

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 22

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 23:

Site details	
Site ID	38336
Site address	Telstra Radio Terminal, NIFTY WA 6760
Co-ordinates (GDA94)	Latitude: -21.666472 Longitude: 121.597167
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911486
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	54
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911489
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	54
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 23

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 23

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 24:

Site details		
Site ID	9007431	
Site address	Telstra Site, Bhp Access Rd, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -22.741765 Longitude: 119.252666	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911490	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	30	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911493	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	30	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 24

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 24

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 25:

Site details		
Site ID	9009567	
Site address	Telstra RBS Site, Lot 300 Newman Drive, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -23.348051 Longitude: 119.73782	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911494	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	30	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911497	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	30	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 25

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 25

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 26:

Site details		
Site ID	9007431	
Site address	Telstra Site, Bhp Access Rd, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -22.741765 Longitude: 119.252666	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911498	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	30	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911501	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	30	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 26

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 26

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 27:

Site details		
Site ID	38673	
Site address	Telstra Site, Telfer Beach, TELFER WA 6762	
Co-ordinates (GDA94)	Latitude: -21.693336 Longitude: 122.225902	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911502	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	44	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911505	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	44	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 27

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 27

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 28:

Site details		
Site ID	38336	
Site address	Telstra Radio Terminal, NIFTY WA 6760	
Co-ordinates (GDA94)	Latitude: -21.666472 Longitude: 121.597167	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911506	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	54	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911509	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	54	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 28

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 28

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 29:

Site details		
Site ID	38673	
Site address	Telstra Site, Telfer Beach, TELFER WA 6762	
Co-ordinates (GDA94)	Latitude: -21.693336 Longitude: 122.225902	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911510	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	44	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.00000 MHz	
Freq. assign. ID	0000911513	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	44	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 29

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 29

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Site details				
Site ID	602971			
Site address	Telstra, Telfer Reef CMTS, TELFER	WA 6760		
Co-ordinates (GDA94)	Latitude: -21.727888	Longitude:	122.19641	
Transmitter details				
Assigned frequency	2.16250000 GHz			
Bandwidth	5.000000 MHz			
Freq. assign. ID	0000911514			
Transmitter power	60.00 W			
EIRP	2.13 kW			
Emission designator	3M84F9W			
<u>Antenna details</u>				
Antenna ID	80154			
Antenna polarisation	SR - Right-hand slant			
Antenna azimuth				
Antenna height (m)	25			
Antenna type	Panel (1 sector)-R			
Receiver details				
Assigned frequency	1.97250000 GHz			
Bandwidth	5.000000 MHz			
Freq. assign. ID	0000911517			
Transmitter power	N/A			
EIRP	N/A			
Emission designator	3M84F9W			
Antenna details				
Antenna ID	80154			
Antenna polarisation	SR - Right-hand slant			

Main Station Site

Station 30:

Advisory Notes applying to Station 30

25

Panel (1 sector)-R

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

may result in interference from nearby class licensed radiocommunications devices and may reduce system a. performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 30

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Antenna azimuth Antenna height (m)

Antenna type

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 31:

Site details		
Site ID	9010963	
Site address	Telstra RBS Site, Great Northern Hwy, NEWMAN WA 6754	
Co-ordinates (GDA94)	Latitude: -22.696548 Longitude: 118.995768	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911518	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	24	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911521	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	24	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 31

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 31

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 32:

Site details		
Site ID	602971	
Site address	Telstra, Telfer Reef CMTS, TELFER WA 6760	
Co-ordinates (GDA94)	Latitude: -21.727888 Longitude: 122.19641	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911522	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	25	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911525	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	25	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 32

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 32

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 33:

Site details			
Site ID	9011556		
Site address	Harridan Hill RBS, TPI RBS Christmas Creek Mine 285km SSE of, PORT HEDLAND WA 6753		
Co-ordinates (GDA94)	Latitude: -22.343831 Longitude: 119.681337		
Transmitter details			
Assigned frequency	2.16250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000911526		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	50		
Antenna type	Panel (1 sector)-R		
Receiver details			
Assigned frequency	1.97250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000911529		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details	Antenna details		
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	50		
Antenna type	Panel (1 sector)-R		

Advisory Notes applying to Station 33

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 33

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 34:

Site details			
Site ID	9011556		
Site address	Harridan Hill RBS, TPI RBS Christmas Creek Mine 285km SSE of, PORT HEDLAND WA 6753		
Co-ordinates (GDA94)	Latitude: -22.343831 Longitude: 119.681337		
Transmitter details			
Assigned frequency	2.15750000 GHz		
Bandwidth	5.00000 MHz		
Freq. assign. ID	0000911530		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	50		
Antenna type	Panel (1 sector)-R		
Receiver details	Receiver details		
Assigned frequency	1.96750000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000911533		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	50		
Antenna type	Panel (1 sector)-R		

Advisory Notes applying to Station 34

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 34

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 35:

Site details		
Site ID	131283	
Site address	Telstra Site, Yarrie Village, YARRIE WA 6761	
Co-ordinates (GDA94)	Latitude: -20.596293 Longitude: 120.276691	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911534	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911537	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 35

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 35

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 36:

Site details		
Site ID	9013295	
Site address	Telstra Site, Mining Area C, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -22.91484 Longitude: 118.966728	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911538	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	13	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911541	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	13	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 36

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 36

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 37:

Site details		
Site ID	37436	
Site address	Telstra Radio Terminal, NIMINGARRA WA 6761	
Co-ordinates (GDA94)	Latitude: -20.420189 Longitude: 120.00209	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911542	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	70	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911545	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	70	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 37

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 37

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 38:

Site details		
Site ID	9013295	
Site address	Telstra Site, Mining Area C, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -22.91484 Longitude: 118.966728	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911546	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	13	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911552	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	13	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 38

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 38

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 39:

Site details		
Site ID	37436	
Site address	Telstra Radio Terminal, NIMINGARRA WA 6761	
Co-ordinates (GDA94)	Latitude: -20.420189 Longitude: 120.00209	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911554	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	70	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911557	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	70	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 39

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 39

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 40:

Site details		
Site ID	131283	
Site address	Telstra Site, Yarrie Village, YARRIE WA 6761	
Co-ordinates (GDA94)	Latitude: -20.596293 Longitude: 120.276691	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911558	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911561	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 40

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 40

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 41:

Site details			
Site ID	9015676		
Site address	Hope Downs Mine, Great Northern Highway, NEWMAN WA 6753		
Co-ordinates (GDA94)	Latitude: -23.204672 Longitude: 119.50649		
Transmitter details			
Assigned frequency	2.16250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000911562		
Transmitter power	60.00 W		
EIRP	2.13 kW		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	15		
Antenna type	Panel (1 sector)-R		
Receiver details	Receiver details		
Assigned frequency	1.97250000 GHz		
Bandwidth	5.000000 MHz		
Freq. assign. ID	0000911565		
Transmitter power	N/A		
EIRP	N/A		
Emission designator	3M84F9W		
Antenna details			
Antenna ID	80154		
Antenna polarisation	SR - Right-hand slant		
Antenna azimuth			
Antenna height (m)	15		
Antenna type	Panel (1 sector)-R		

Advisory Notes applying to Station 41

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 41

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 42:

Site details	
Site ID	9014100
Site address	BHPB Jimblebar Mine Hub, Jimblebar, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.379532 Longitude: 120.053001
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911566
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911569
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 42

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 42

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 43:

Site details	
Site ID	9014100
Site address	BHPB Jimblebar Mine Hub, Jimblebar, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.379532 Longitude: 120.053001
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911570
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911573
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	32
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 43

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 43

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 44:

Site details		
Site ID	9014103	
Site address	BHPB Jimblebar Village, Marble Bar Rd, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -23.338232 Longitude: 119.931471	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911574	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911577	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 44

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 44

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 45:

Site details		
Site ID	9013581	
Site address	Telstra Site, 4 Walters St, NULLAGINE WA 6758	
Co-ordinates (GDA94)	Latitude: -21.884866 Longitude: 120.108346	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911578	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	52	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911581	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	52	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 45

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 45

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 46:

Site details	
Site ID	9015676
Site address	Hope Downs Mine, Great Northern Highway, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.204672 Longitude: 119.50649
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911582
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	15
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911585
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	15
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 46

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 46

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 47:

Site details		
Site ID	9013581	
Site address	Telstra Site, 4 Walters St, NULLAGINE WA 6758	
Co-ordinates (GDA94)	Latitude: -21.884866 Longitude: 120.108346	
Transmitter details		
Assigned frequency	2.15750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911586	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	52	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.96750000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911589	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	52	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 47

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 47

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 48:

Site details		
Site ID	9014103	
Site address	BHPB Jimblebar Village, Marble Bar Rd, NEWMAN WA 6753	
Co-ordinates (GDA94)	Latitude: -23.338232 Longitude: 119.931471	
Transmitter details		
Assigned frequency	2.16250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911590	
Transmitter power	60.00 W	
EIRP	2.13 kW	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	
Receiver details		
Assigned frequency	1.97250000 GHz	
Bandwidth	5.000000 MHz	
Freq. assign. ID	0000911593	
Transmitter power	N/A	
EIRP	N/A	
Emission designator	3M84F9W	
Antenna details		
Antenna ID	80154	
Antenna polarisation	SR - Right-hand slant	
Antenna azimuth		
Antenna height (m)	20	
Antenna type	Panel (1 sector)-R	

Advisory Notes applying to Station 48

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 48

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 49:

Site details	
Site ID	9021503
Site address	Telstra Site Roy Hill Village, 16 km NE Roy Hill Station Airport, PORT HEDLAND WA 6753
Co-ordinates (GDA94)	Latitude: -22.487266 Longitude: 120.013527
Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911594
Transmitter power	30.00 W
EIRP	1.06 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	81203
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911597
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	81203
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 49

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 49

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The licensee is not authorised to operate a station:

- (a) in the geographic areas; and
- (b) on the frequencies, where a spectrum licence is in force.

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 50:

Site details	
Site ID	9021503
Site address	Telstra Site Roy Hill Village, 16 km NE Roy Hill Station Airport, PORT HEDLAND WA 6753
Co-ordinates (GDA94)	Latitude: -22.487266 Longitude: 120.013527
Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.00000 MHz
Freq. assign. ID	0000911598
Transmitter power	30.00 W
EIRP	1.06 kW
Emission designator	3M84F9W
Antenna details	
Antenna ID	81203
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R
Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911601
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W
Antenna details	
Antenna ID	81203
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	20
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 50

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and

b. protection from such interference cannot be afforded.

Special Conditions applying to Station 50

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.
- The licensee is not authorised to operate a station:
- (a) in the geographic areas; and
- (b) on the frequencies, where a spectrum licence is in force.