

Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details

Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001

Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927821/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre
PO Box 78
BELCONNEN ACT 2616

Telephone: 1300 850 115
Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details

Site ID	9008994
Site address	Rio Tinto Brockman 4 Mine, White Quartz Rd, BROCKMAN WA 6716
Co-ordinates (GDA94)	Latitude: -22.57093 Longitude: 117.302897

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911982
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911985
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 2:

Site details	
Site ID	600628
Site address	Telstra Site, Cowra, NEWMAN WA 6752
Co-ordinates (GDA94)	Latitude: -22.35823 Longitude: 119.002874

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911986
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	22
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911989
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	22
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 3:

Site details

Site ID	600628
Site address	Telstra Site, Cowra, NEWMAN WA 6752
Co-ordinates (GDA94)	Latitude: -22.35823 Longitude: 119.002874

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911990
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	22
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911993
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	22
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 4:

Site details	
Site ID	32068
Site address	Telstra Exchange, cnr Second Ave and Simpson St, ONSLOW WA 6710
Co-ordinates (GDA94)	Latitude: -21.636371 Longitude: 115.111839

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911994
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911997
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 4

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 5:

Site details

Site ID	32068
Site address	Telstra Exchange, cnr Second Ave and Simpson St, ONSLOW WA 6710
Co-ordinates (GDA94)	Latitude: -21.636371 Longitude: 115.111839

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000911998
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912001
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	38
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 6:

Site details

Site ID	38467
Site address	Telstra Exchange, TOM PRICE WA 6751
Co-ordinates (GDA94)	Latitude: -22.69151 Longitude: 117.795424

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912002
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912005
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 7:

Site details

Site ID	9009007
Site address	RBS-1, Great North Western Highway, MESA A MINE PILBARA WA 6716
Co-ordinates (GDA94)	Latitude: -21.665698 Longitude: 115.913345

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912006
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912009
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 8:

Site details	
Site ID	9008994
Site address	Rio Tinto Brockman 4 Mine, White Quartz Rd, BROCKMAN WA 6716
Co-ordinates (GDA94)	Latitude: -22.57093 Longitude: 117.302897

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912010
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912013
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 9:

Site details

Site ID	38282
Site address	Comm Site, KP185, PANNAWONICA WA 6716
Co-ordinates (GDA94)	Latitude: -21.661016 Longitude: 116.319776

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912014
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912017
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 9

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 10:

Site details	
Site ID	9008466
Site address	TPI RBS Site 1, Cloud Break Mine, Railway Railway 245KP SSE of, PORT HEDLAND WA 6754
Co-ordinates (GDA94)	Latitude: -22.321199 Longitude: 119.402721

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912018
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	43
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912021
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	43
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 10

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 11:

Site details	
Site ID	9001933
Site address	Telstra BTS, Robe River Mine radio site, Messaj, PANNAWONICA WA 6716
Co-ordinates (GDA94)	Latitude: -21.724197 Longitude: 116.24129

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912022
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	49
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912025
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	49
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 11

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 11

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 12:

Site details

Site ID	38846
Site address	Main Tower Rio Tinto Site, Mt Misery 4km SSE of, PARABURDOO WA 6754
Co-ordinates (GDA94)	Latitude: -23.232979 Longitude: 117.665817

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912026
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912029
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 12

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 12

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 13:

Site details

Site ID	38282
Site address	Comm Site, KP185, PANNAWONICA WA 6716
Co-ordinates (GDA94)	Latitude: -21.661016 Longitude: 116.319776

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912030
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912033
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 13

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 13

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 14:

Site details	
Site ID	9008466
Site address	TPI RBS Site 1, Cloud Break Mine, Railway Railway 245KP SSE of, PORT HEDLAND WA 6754
Co-ordinates (GDA94)	Latitude: -22.321199 Longitude: 119.402721

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912034
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	43
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912037
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	43
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 14

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 14

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 15:

Site details

Site ID	9009566
Site address	Rio Mesa A Camp, 160km Sth of Karratha, PANNAWONICA WA 6716
Co-ordinates (GDA94)	Latitude: -21.660811 Longitude: 115.881658

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912038
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912041
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 15

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 15

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 16:

Site details	
Site ID	9009566
Site address	Rio Mesa A Camp, 160km Sth of Karratha, PANNAWONICA WA 6716
Co-ordinates (GDA94)	Latitude: -21.660811 Longitude: 115.881658

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912042
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912045
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 16

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 16

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 17:

Site details

Site ID	9009007
Site address	RBS-1, Great North Western Highway, MESA A MINE PILBARA WA 6716
Co-ordinates (GDA94)	Latitude: -21.665698 Longitude: 115.913345

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912046
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912049
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 17

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 17

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 18:

Site details

Site ID	38846
Site address	Main Tower Rio Tinto Site, Mt Misery 4km SSE of, PARABURDOO WA 6754
Co-ordinates (GDA94)	Latitude: -23.232979 Longitude: 117.665817

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912050
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912053
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 18

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 18

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 19:

Site details

Site ID	40637
Site address	Guyed Mast, Mt Nameless, TOM PRICE WA 6751
Co-ordinates (GDA94)	Latitude: -22.719869 Longitude: 117.761274

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912054
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912057
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 19

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 19

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 20:

Site details

Site ID	9001933
Site address	Telstra BTS, Robe River Mine radio site, Messaj, PANNAWONICA WA 6716
Co-ordinates (GDA94)	Latitude: -21.724197 Longitude: 116.24129

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912058
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	49
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912061
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	49
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 20

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 20

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 21:

Site details

Site ID	38467
Site address	Telstra Exchange, TOM PRICE WA 6751
Co-ordinates (GDA94)	Latitude: -22.69151 Longitude: 117.795424

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912062
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912065
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 21

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 21

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 22:

Site details

Site ID	40637
Site address	Guyed Mast, Mt Nameless, TOM PRICE WA 6751
Co-ordinates (GDA94)	Latitude: -22.719869 Longitude: 117.761274

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912066
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912069
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	68
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 22

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 22

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 23:

Site details

Site ID	9010301
Site address	Construction Village, Barrow Island, BARROW ISLAND WA 6716
Co-ordinates (GDA94)	Latitude: -20.817757 Longitude: 115.438389

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912070
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912073
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 23

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 23

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 24:

Site details

Site ID	9010301
Site address	Construction Village, Barrow Island, BARROW ISLAND WA 6716
Co-ordinates (GDA94)	Latitude: -20.817757 Longitude: 115.438389

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912074
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912077
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 24

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 24

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 25:

Site details	
Site ID	9015670
Site address	Telstra COW, Fortescue Metals Solomon mine, 5.6 km N of, RIO TINTO GORGE WA 6754
Co-ordinates (GDA94)	Latitude: -22.167996 Longitude: 117.982998

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912078
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912081
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 25

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 25

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 26:

Site details

Site ID	9015670		
Site address	Telstra COW, Fortescue Metals Solomon mine, 5.6 km N of, RIO TINTO GORGE WA 6754		
Co-ordinates (GDA94)	Latitude: -22.167996	Longitude:	117.982998

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912082
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912087
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	10
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 26

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 26

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 27:

Site details

Site ID	601789
Site address	Telstra Customer, Cardoo Outstation, RED HILL WA 6716
Co-ordinates (GDA94)	Latitude: -22.248683 Longitude: 116.13465

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912090
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912093
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 27

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 27

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 28:

Site details

Site ID	45453
Site address	Main Camp, BARROW ISLAND WA 6712
Co-ordinates (GDA94)	Latitude: -20.826354 Longitude: 115.445226

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912094
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912097
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 28

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 28

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 29:

Site details

Site ID	45453
Site address	Main Camp, BARROW ISLAND WA 6712
Co-ordinates (GDA94)	Latitude: -20.826354 Longitude: 115.445226

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912098
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912101
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 29

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 29

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 30:

Site details

Site ID	601789
Site address	Telstra Customer, Cardoo Outstation, RED HILL WA 6716
Co-ordinates (GDA94)	Latitude: -22.248683 Longitude: 116.13465

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912102
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912105
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 30

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 30

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 31:

Site details

Site ID	9015345
Site address	Nixon Site 3, Hope Downs Mine 31 km NW of, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.152017 Longitude: 119.53303

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912106
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912109
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 31

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 31

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 32:

Site details	
Site ID	9012582
Site address	Marandoo Permanent Camp Tower, 12 km North East of Marandoo Hill, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.579723 Longitude: 118.014997

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912110
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	50
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912113
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	50
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 32

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 32

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 33:

Site details

Site ID	9012362
Site address	Telstra Customer Site, 62 km NNW of, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.156691 Longitude: 117.932834

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912114
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	35
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912117
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	35
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 33

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 33

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 34:

Site details

Site ID	9010301
Site address	Construction Village, Barrow Island, BARROW ISLAND WA 6716
Co-ordinates (GDA94)	Latitude: -20.817757 Longitude: 115.438389

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912118
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912121
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 34

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 34

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 35:

Site details	
Site ID	9010301
Site address	Construction Village, Barrow Island, BARROW ISLAND WA 6716
Co-ordinates (GDA94)	Latitude: -20.817757 Longitude: 115.438389

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912122
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912125
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 35

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 35

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 36:

Site details

Site ID	9015345
Site address	Nixon Site 3, Hope Downs Mine 31 km NW of, NEWMAN WA 6753
Co-ordinates (GDA94)	Latitude: -23.152017 Longitude: 119.53303

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912126
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912129
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	8
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 36

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 36

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 37:

Site details

Site ID	9015371
Site address	Wheatstone LNG, Construction Village, ASHBURTON NORTH WA 6716
Co-ordinates (GDA94)	Latitude: -21.77783 Longitude: 115.041246

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912130
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	7
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912133
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	7
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 37

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 37

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 38:

Site details

Site ID	603059
Site address	Brockman Mine (Nammuldi) RBS, TOM PRICE WA 6716
Co-ordinates (GDA94)	Latitude: -22.411495 Longitude: 117.314154

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912134
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912137
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 38

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 38

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 39:

Site details	
Site ID	9012582
Site address	Marandoo Permanent Camp Tower, 12 km North East of Marandoo Hill, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.579723 Longitude: 118.014997

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912138
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	50
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912141
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	50
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 39

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 39

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 40:

Site details	
Site ID	9012361
Site address	Telstra Customer Site, Castle Camp, 54km North of, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.211689 Longitude: 117.825497

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912142
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912145
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 40

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 40

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 41:

Site details

Site ID	9012362
Site address	Telstra Customer Site, 62 km NNW of, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.156691 Longitude: 117.932834

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912146
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	35
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912149
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	35
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 41

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 41

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 42:

Site details	
Site ID	603059
Site address	Brockman Mine (Nammuldi) RBS, TOM PRICE WA 6716
Co-ordinates (GDA94)	Latitude: -22.411495 Longitude: 117.314154

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912150
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912153
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	6
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 42

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 42

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 43:

Site details

Site ID	9012361
Site address	Telstra Customer Site, Castle Camp, 54km North of, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.211689 Longitude: 117.825497

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912154
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912157
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	25
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 43

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 43

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 44:

Site details

Site ID	9015371
Site address	Wheatstone LNG, Construction Village, ASHBURTON NORTH WA 6716
Co-ordinates (GDA94)	Latitude: -21.77783 Longitude: 115.041246

Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912158
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	7
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912161
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	7
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 44

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

Special Conditions applying to Station 44

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 45:

Site details

Site ID	9018799
Site address	Kangi Village, Solomon Mine Site, 54km North of, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.220366 Longitude: 117.813778

Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912162
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	4M90F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	28
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912165
Transmitter power	N/A
EIRP	N/A
Emission designator	4M90F9W

Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	28
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 45

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

Special Conditions applying to Station 45

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The licensee is not authorised to operate a station:

- (a) in the geographic areas; and
- (b) on the frequencies, where a spectrum licence is in force.

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 46:

Site details	
Site ID	9018799
Site address	Kangi Village, Solomon Mine Site, 54km North of, TOM PRICE WA 6754
Co-ordinates (GDA94)	Latitude: -22.220366 Longitude: 117.813778

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912166
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	4M90F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	28
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000912169
Transmitter power	N/A
EIRP	N/A
Emission designator	4M90F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	28
Antenna type	Panel (1 sector)-R

Advisory Notes applying to Station 46

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- a. may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- b. protection from such interference cannot be afforded.

Special Conditions applying to Station 46

If sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply to a station because of a condition specified in this licence, the station must be operated:

- a) in a manner that does not cause harmful interference to licensed radiocommunications devices; and
- b) on the basis that the licensee cannot claim protection from harmful interference from licensed radiocommunications devices.

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

Sections 5 and 7 of the Radiocommunications Licence Conditions (PTS Licence) Determination do not apply with respect to the operation of a station under the licence, if the station:

- a) has an indoor fixed antenna and a radiated true mean power less than or equal to 24 dBm EIRP/occupied bandwidth;
- b) is within a 15 kilometre radius of the location specified for the spectrum access; and
- c) uses the receive or transmit frequencies and the emission designator specified for the spectrum access.

The licensee is not authorised to operate a station:

- (a) in the geographic areas; and
- (b) on the frequencies, where a spectrum licence is in force.