

# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



## Licensee details

Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001

## Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927874/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

## ACMA contact details

Customer Service Centre  
PO Box 78  
BELCONNEN ACT 2616

Telephone: 1300 850 115  
Email: [info@acma.gov.au](mailto:info@acma.gov.au)

ACMA website: [www.acma.gov.au](http://www.acma.gov.au)

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 1:

#### Site details

Site ID	18052
Site address	Telstra Radio Terminal 15 km E of, MT WINDEYER QLD 4478
Co-ordinates (GDA94)	Latitude: -24.552955 Longitude: 146.320786

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914182
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	100
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914185
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	100
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 2:

Site details	
Site ID	15344
Site address	Telstra Exchange, Star St, TAMBO QLD 4478
Co-ordinates (GDA94)	Latitude: -24.881616 Longitude: 146.255643

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914186
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914189
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 3:

#### Site details

Site ID	15332
Site address	Telstra Radio Terminal, GREENDALE SOUTH QLD 4472
Co-ordinates (GDA94)	Latitude: -24.76504 Longitude: 146.05247

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914190
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	104
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914193
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	104
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 4:

#### Site details

Site ID	18052
Site address	Telstra Radio Terminal 15 km E of, MT WINDEYER QLD 4478
Co-ordinates (GDA94)	Latitude: -24.552955 Longitude: 146.320786

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914194
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	100
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914197
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	100
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 5:

#### Site details

Site ID	15332
Site address	Telstra Radio Terminal, GREENDALE SOUTH QLD 4472
Co-ordinates (GDA94)	Latitude: -24.76504 Longitude: 146.05247

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914198
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	104
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914201
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	104
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 6:

#### Site details

Site ID	15344
Site address	Telstra Exchange, Star St, TAMBO QLD 4478
Co-ordinates (GDA94)	Latitude: -24.881616 Longitude: 146.255643

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914202
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914205
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	30
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 7:

#### Site details

Site ID	15333
Site address	Telstra Radio Terminal, IVANHOE QLD 4478
Co-ordinates (GDA94)	Latitude: -25.008875 Longitude: 146.424464

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914206
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	88
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914209
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	88
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 8:

#### Site details

Site ID	15333
Site address	Telstra Radio Terminal, IVANHOE QLD 4478
Co-ordinates (GDA94)	Latitude: -25.008875 Longitude: 146.424464

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914210
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	88
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914213
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	88
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 9:

#### Site details

Site ID	15331
Site address	Telstra Radio Terminal, GLANWORTH QLD 4478
Co-ordinates (GDA94)	Latitude: -25.222202 Longitude: 145.930143

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914214
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914217
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 9

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 9

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 10:

#### Site details

Site ID	15331
Site address	Telstra Radio Terminal, GLANWORTH QLD 4478
Co-ordinates (GDA94)	Latitude: -25.222202 Longitude: 145.930143

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914218
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914221
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	60
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 10

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 10

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.