

# Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



## Licensee details

Customer ID	20053839
Licensee	TELSTRA LIMITED
Trading name	Telstra - Commercial Engineering - Spectrum Strategy
Licensee address	Locked Bag 3501, BRISBANE, QLD 4001

## Licence details

Licence service	PTS
Licence subservice	PMTS Class B
Licence number	1927892/1
Date of issue	12/10/2023
Date of effect	12/10/2023
Date of expiry	11/10/2025

## Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

### Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

### Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

## ACMA contact details

Customer Service Centre  
PO Box 78  
BELCONNEN ACT 2616

Telephone: 1300 850 115  
Email: [info@acma.gov.au](mailto:info@acma.gov.au)

ACMA website: [www.acma.gov.au](http://www.acma.gov.au)

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 1:

#### Site details

Site ID	20509
Site address	Telstra Radio Terminal, BURKETOWN QLD 4830
Co-ordinates (GDA94)	Latitude: -17.730838 Longitude: 139.547427

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914386
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914389
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 1

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 1

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 2:

#### Site details

Site ID	20509
Site address	Telstra Radio Terminal, BURKETOWN QLD 4830
Co-ordinates (GDA94)	Latitude: -17.730838 Longitude: 139.547427

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914390
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914393
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	48
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 2

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 2

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 3:

#### Site details

Site ID	152958
Site address	Broadcast Site, Water Tower, CENTURY MINE QLD 4830
Co-ordinates (GDA94)	Latitude: -18.73052 Longitude: 138.61706

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914394
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	14
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914397
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	14
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 3

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 3

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 4:

#### Site details

Site ID	152958
Site address	Broadcast Site, Water Tower, CENTURY MINE QLD 4830
Co-ordinates (GDA94)	Latitude: -18.73052 Longitude: 138.61706

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914398
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	14
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914401
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	14
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 4

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 4

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 5:

#### Site details

Site ID	440880
Site address	Village Water Tower, CENTURY MINE QLD 4830
Co-ordinates (GDA94)	Latitude: -18.730709 Longitude: 138.668941

#### Transmitter details

Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914402
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914405
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 5

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 5

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 6:

Site details	
Site ID	440880
Site address	Village Water Tower, CENTURY MINE QLD 4830
Co-ordinates (GDA94)	Latitude: -18.730709 Longitude: 138.668941

Transmitter details	
Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914406
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914409
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	17
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 6

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 6

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.

## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 7:

Site details	
Site ID	9008827
Site address	Pit CER5 40m Mast, Lawn Hill - Riversleigh Rd, LAWN HILL QLD 4830
Co-ordinates (GDA94)	Latitude: -18.731143 Longitude: 138.604364

Transmitter details	
Assigned frequency	2.15750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914410
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	1.96750000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914413
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

Antenna details	
Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 7

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 7

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.



## Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

### Main Station Site

### Station 8:

#### Site details

Site ID	9008827
Site address	Pit CER5 40m Mast, Lawn Hill - Riversleigh Rd, LAWN HILL QLD 4830
Co-ordinates (GDA94)	Latitude: -18.731143 Longitude: 138.604364

#### Transmitter details

Assigned frequency	2.16250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914416
Transmitter power	60.00 W
EIRP	2.13 kW
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

#### Receiver details

Assigned frequency	1.97250000 GHz
Bandwidth	5.000000 MHz
Freq. assign. ID	0000914421
Transmitter power	N/A
EIRP	N/A
Emission designator	3M84F9W

#### Antenna details

Antenna ID	80154
Antenna polarisation	SR - Right-hand slant
Antenna azimuth	
Antenna height (m)	44
Antenna type	Panel (1 sector)-R

### Advisory Notes applying to Station 8

The shared spectrum arrangements and uncoordinated nature of mobile-satellite service transmitters operated under class licences in the 1980-2010 MHz band:

- may result in interference from nearby class licensed radiocommunications devices and may reduce system performance; and
- protection from such interference cannot be afforded.

### Special Conditions applying to Station 8

The licensee must cooperate to the extent necessary to prevent its radiocommunications services from inhibiting the use of radiofrequency spectrum by other licensees operating under a public telecommunication service licence in the area surrounding the station location specified on this licence.

The operation of radiocommunications transmitters under this licence must not cause harmful interference to earth receive apparatus licences issued before the date of approval of this licence.