

Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details

Customer ID	156824
Licensee	Lower Murray Urban & Rural Water Corporation
Trading name	Lower Murray Water
Licensee address	PO Box 1438, MILDURA, VIC 3502

Licence details

Licence service	Fixed
Licence subservice	Point to Point
Licence number	1934540/1
Date of issue	21/02/2024
Date of effect	21/02/2024
Date of expiry	09/02/2025

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre
PO Box 78
BELCONNEN ACT 2616

Telephone: 1300 850 115
Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1934540/1

Conditions applicable to the operation of Point to Point station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Fixed Licence) Determination, the 'fixed licence lcd'. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Link 1

Site details		Site 1	Site 2
Site ID		301867	9013420
Site address		Water Tower, Allan Street, NYAH WEST VIC 3595	Water Treatment Plant Murray Valley Highway, 160m S of Mallee Highway Intersection, PIANGIL VIC 3597
Co-ordinates (GDA94)		Lat: -35.187069 Long: 143.340162	Lat: -35.053669 Long: 143.328007
Equipment details:			
Assigned TX frequency		460.525000 MHz	451.025000 MHz
Assigned RX frequency		451.025000 MHz	460.525000 MHz
Bandwidth		25.0000 kHz	25.0000 kHz
Freq. assign. ID		0000767635	0000767637
Transmitter power		1.00 W	1.00 W
EIRP			
Emission designator		16K0F1D	16K0F1D
Antenna details			
Antenna ID		80699	80699
Antenna polarisation		H - Horizontal linear	H - Horizontal linear
Antenna azimuth		355.71	175.72
Antenna height (m)		30.00	8.00
Antenna type		Yagi (Horizontal Polarisation)-Y	Yagi (Horizontal Polarisation)-Y