Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details	
Customer ID	476492
Licensee	Qantas Airways Limited
Trading name	Qantas Service Delivery Manager
Licensee address	Managed Services Admin, Motorola Solutions 10 Wesley Court, Tally Ho Business Park, BURWOOD EAST, VIC 3151

Licence details	
Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	1982777/1
Date of issue	31/03/2023
Date of effect	31/03/2023
Date of expiry	26/04/2024

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre PO Box 78

BELCONNEN ACT 2616

Telephone: 1300 850 115 Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Certain information contained in this licence record will be disclosed in the Register of Radiocommunications Licences (RRL), established and maintained pursuant to Part 3.5 of the *Radiocommunications Act 1992*.

Advisory Notes applying to licence no.: 1982777/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site ID 26850 Site address Qantas, Affleck Rd, PERTH AIRPORT WA 6105 Co-ordinates (GDA94) Latitude: -31.945624 Longitude: 115.97693 Transmitter details Assigned frequency Bandwidth 12.5000 kHz Freq. assign. ID 0000997550 Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear	Site details		
Co-ordinates (GDA94) Latitude: -31.945624 Longitude: 115.97693 Transmitter details Assigned frequency 463.437500 MHz Bandwidth 12.5000 kHz Freq, assign. ID 0000997550 Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna ID Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq, assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth V - Vertical linear	Site ID	26850	
Transmitter details Assigned frequency 463.437500 MHz Bandwidth 12.5000 kHz Freq, assign, ID 0000997550 Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq, assign, ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna azimuth V - Vertical linear	Site address	Qantas, Affleck Rd, PERTH AIRPORT WA 6105	
Assigned frequency 463.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997550 Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna azimuth V - Vertical linear	Co-ordinates (GDA94)	Latitude: -31.945624 Longitude: 115.97693	
Bandwidth 12.5000 kHz Freq. assign. ID 0000997550 Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth 5 Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna azimuth	Transmitter details		
Freq. assign. ID 0000997550 Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna azimuth	Assigned frequency	463.437500 MHz	
Transmitter power 20.00 W EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth V - Vertical linear	Bandwidth	12.5000 kHz	
EIRP 33.00 W Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna ID 60118 Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna polarisation V - Vertical linear Antenna azimuth	Freq. assign. ID	0000997550	
Emission designator Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Transmitter power	20.00 W	
Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	EIRP	33.00 W	
Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna details Antenna polarisation V - Vertical linear Antenna azimuth	Emission designator	10K1F3E	
Antenna polarisation V - Vertical linear Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna details		
Antenna azimuth Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna ID	60118	
Antenna height (m) 5 Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna polarisation	V - Vertical linear	
Antenna type Dipole-D Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna azimuth		
Receiver details Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna height (m)	5	
Assigned frequency 453.437500 MHz Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Antenna type	Dipole-D	
Bandwidth 12.5000 kHz Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Receiver details		
Freq. assign. ID 0000997553 Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Assigned frequency	453.437500 MHz	
Transmitter power N/A EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Bandwidth	12.5000 kHz	
EIRP N/A Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Freq. assign. ID	0000997553	
Emission designator 10K1F3E Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Transmitter power	N/A	
Antenna details Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	EIRP	N/A	
Antenna ID 60118 Antenna polarisation V - Vertical linear Antenna azimuth	Emission designator	10K1F3E	
Antenna polarisation V - Vertical linear Antenna azimuth	Antenna details		
Antenna azimuth	Antenna ID	60118	
	Antenna polarisation	V - Vertical linear	
Antenna height (m) 5	Antenna azimuth		
	Antenna height (m)	5	

Antenna type

Dipole-D