

Apparatus Licence

Issued by Delegate of the Australian Communications and Media Authority



Licensee details

Customer ID	203860
Licensee	WESTERN AUSTRALIA POLICE
Trading name	Radio & Electronic Services Unit
Licensee address	2 Swanbank Road Att: Phillip Manna, MAYLANDS, WA 6051

Licence details

Licence service	Land Mobile
Licence subservice	Land Mobile System - > 30MHz
Licence number	9875978/1
Date of issue	11/05/2023
Date of effect	11/05/2023
Date of expiry	31/05/2024

Licence conditions

Your licence is subject to conditions set out in the *Radiocommunications Act 1992*. Your licence may also be subject to such other licence conditions as determined by the ACMA (in licence condition determinations) from time to time, and is also subject to special conditions as detailed on this licence.

The conditions that are imposed on a licence vary according to the type of licence issued, the service being operated and the section of the *Radiocommunications Act 1992* under which the licence has been issued. For further information about the conditions that apply to your licence, please contact the ACMA (see contact details below).

Rights of appeal

A decision by the ACMA to impose further conditions or revoke or vary the conditions of your licence may be reviewable. If you are affected by, and dissatisfied with, such a decision you may apply to the ACMA to have the ACMA reconsider the decision under section 288 of the *Radiocommunications Act 1992*.

An application for reconsideration must state the reasons for the request, and should be sent to the Customer Service Centre, Australian Communications and Media Authority, PO Box 78, Belconnen, ACT, 2616. Applications for review of decisions can be made using the R051 - Application for review of Decision form, available on the ACMA website.

Important

An application for the ACMA to reconsider a decision to impose or vary licence conditions must be made to the ACMA within 28 days of the day on which you are informed of the decision. An application for reconsideration made after that time may not be accepted.

ACMA contact details

Customer Service Centre
PO Box 78
BELCONNEN ACT 2616

Telephone: 1300 850 115
Email: info@acma.gov.au

ACMA website: www.acma.gov.au

Advisory Notes applying to licence no.: 9875978/1

Conditions applicable to the operation of Land Mobile System station(s) authorised under this licence can be found in the Radiocommunications Licence Conditions (Apparatus Licence) Determination and the Radiocommunications Licence Conditions (Land Mobile Licence) Determination. Copies of these determinations are available from the ACMA and from the ACMA home page (www.acma.gov.au).

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 1:

Site details	
Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details	
Assigned frequency	467.850000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219545
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details	
Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details	
Assigned frequency	457.850000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219546
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details	
Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 2:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	468.150000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219547
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	458.150000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219548
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 3:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	468.425000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219549
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	458.425000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219550
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 4:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	469.137500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219551
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	459.137500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219552
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 5:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	469.312500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219553
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	459.312500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219554
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 6:

Site details

Site ID	25931	
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000	
Co-ordinates (GDA94)	Latitude: -31.954606	Longitude: 115.857086

Transmitter details

Assigned frequency	469.637500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219555
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	459.637500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219556
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 7:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	469.975000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219557
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	459.975000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219558
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 8:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	467.512500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219559
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	457.512500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219560
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 9:

Site details

Site ID	25931		
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000		
Co-ordinates (GDA94)	Latitude: -31.954606	Longitude: 115.857086	

Transmitter details

Assigned frequency	469.725000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219561
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	459.725000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219562
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 10:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	468.925000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219563
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	458.925000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219564
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 11:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	469.612500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219565
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	459.612500 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219566
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Technical characteristics

Below is a summary of the technical characteristics of the licensed service. Further technical details not displayed here may be found on the ACMA website.

Main Station Site

Station 12:

Site details

Site ID	25931
Site address	Bank West Tower, 108 St Georges Terrace, PERTH WA 6000
Co-ordinates (GDA94)	Latitude: -31.954606 Longitude: 115.857086

Transmitter details

Assigned frequency	468.775000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219567
Transmitter power	50.00 W
EIRP	83.00 W
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R

Receiver details

Assigned frequency	458.775000 MHz
Bandwidth	12.5000 kHz
Freq. assign. ID	0001219568
Transmitter power	N/A
EIRP	N/A
Emission designator	10K1F9W

Antenna details

Antenna ID	84077
Antenna polarisation	V - Vertical linear
Antenna azimuth	
Antenna height (m)	245
Antenna type	Panel (1 sector)-R